

**HIMACHAL PRADESH  
STATE ELECTRONICS  
DEVELOPMENT  
CORPORATION  
LIMITED**



**1<sup>st</sup>& Ground Floor, I.T.  
Bhawan, Mehli, Shimla -171 013  
Tel. No. 0177-2623259,  
2623513, 2626320, 2623513,  
2623043, FAX:0177-2626320**

**Website: [www.hpsedc.in](http://www.hpsedc.in)  
File No. SEDC/CompHW-  
HPSCB/2K25-7690  
e-Office File No.: 277597  
Date: 24/12/2025**

### **Corrigendum-II**

**(Tender No. SEDC/CompHW-HPSCB/2K25- 7690)**

HPSEDC published e-tender for Selection of System Integrator for supply & maintenance of Computer Hardware, printers, UPS and other items for HP State Cooperative Bank on 31/10/2025.

Based on the representations received from the prospective bidders, the changes/ modifications/ clarifications/ specifications in the tender Section(s)/ Clause(s) are incorporated in the tender document by issuing Corrigendum and is attached as **Annexure-A** and the list of delivery locations is attached as **Annexure B**.

**Last date for bid submission is extended from 28/11/2025 to 08/01/2026 till 2.30 PM and same will be opened on 09/01/2026 at 2.30 PM.**

  
**Data Controller, HPSEDC**

S.No	Page No	Section of the RFP	Point of clarification required as per RFP	Requested Clarification/ Suggested Changes by the bidder	Clarification(s) / Revised Clause(s) may be read as
1			EMD - Rs 25,00,000/-	EMD TO BE MENTIONED SEPERATELY FOR UPS VENDORS WHICH MAY PROPORTIONATE WITH EXPECTED BID COST	<b>Clarification:</b>  The tender is for the identification of system integrator. Hence EMD is kept keeping in view the complete solution.
2			Buy Back	Is there any Buy Back of Old UPS and batteries	<b>Clarification:</b>  Yes, there is buyback of old UPS and batteries. The list is attached as Annexure A alongwith bid document.
3			OEM Turnover - Rs 15 Cr	May be enhanced from 250-300 crores	<b>Revised Clause:</b>  The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 & 2024-25) should be as below: 1. All in One PC: 125 Cr 2. Printers & Scanners: 125 Cr 3. UPS: 125 Cr
4			Service Centers - 1 no Service center	Statewide Installation would be require 4-5 different locations as service centered in Himachal	<b>As per RFP</b>
5			KVA/KW ONLY 6 KVA , 10 KVA & 20 KVA ARE MENTIONED AS KVA =KW WHILE 1,2 3 KVA POWER FACTOR ASKTED FOR 0.8	KINDLY HAVE SAME FOR ALL RATING OF UPS EITHER WAY	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)

6	OEM Turnover	MENTIONED AS 15 CR IN SECTION 2 , WHILE IN THE TECHNICAL SPECIFICATION IT IS MENTIONED AS 500 CR	KINDLY REFERS TO OUR POINT 3 ABOVE , PLS REMOVE QUALIFYINMG CRETERIA FROM TECHNICAL SPECIFICATION MENTIONED IN 6,10 & 20 KVA UPSES	<b>Revised Clause:</b> The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 & 2024-25) should be as below: 1. All in One PC: 125 Cr 2. Printers & Scanners: 125 Cr 3. UPS: 125 Cr
7		SNMP CARD - SNMP CARD HAS BEEN ASKED FOR 1.2 & 3 KVA , WHILE IN 20 KVA IT IS MENTIONED AS OPTIONAL	IN 1 ,2 3 KVA IN BANK OPERATION THERE IS NO USE OF SNMP CARD WHICH WILL ONLY ADD TO THE COST OF UPS	<b>Revised Specification:</b> (for all UPS) SNMP card must support secure access (SNMPv3/HTTPS) for all UPS catagories
8		VAH HAS BEEN MENTIONED IN ALL UPSES	THERE IS NO NEED TO MENTION THE WINDOWS OF DC LINK	<b>As per RFP</b>
9		NABL LABORATORY- IN THE SHEET OF TECHNOCAL SPECIFICATION YOU ASKED FOR NABL LABORATORT TO NE AVAILABLE IN MANUFACTURER PLACE	CONTRARY TO THIS PRODUCT SHOULD BY NABL CERTIFIED	<b>Clarification:</b> Product should be NABL certified
10		No OF UPS to BE SUPPLIED - 1000 NOS , 3000 UPS SUPPLIED IN HIMACHAL PRADESH	NO OF UPS SUPPLIED IN HIMACHAL PRADESH SHOULD BE AMENDED AS ALL OVER INDIA	<b>Revised Clause:</b> Bidder/OEM should have executed minimum single order of 1000 nos of Online ups system or Total minimum 3000 nos Online ups systems or had supplied 5000 kva Online ups capacity in the last 2 years in INDIA.

11	9	Pre-Qualification	Turnover of UPS OEM – 15 Cr. In prequalification of RFP & Page No. 61 in specification of 10kVA & 20kVA, you have asked for 500 Cr. turnover	Please give clarification about turnover requirements.	<p><b>Revised Clause:</b>            The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 &amp; 2024-25) should be as below:            1. All in One PC: 125 Cr            2. Printers &amp; Scanners: 125 Cr            3. UPS: 125 Cr         </p>
12	61	IEC	You have asked for So many IEC Certificates.	Kindly remove all certificates and use only CE Certificate.	<p><b>Clarification:</b>            As per RFP, all the IEC certificates are mandatory and CE certification is optional.         </p>
13		Battery	In RFP you have asked for 3-year warranty on UPS.	Kindly confirm warranty of battery and battery bank.	<p><b>Clarification:</b>            3 years warranty is for complete UPS and Batteries.         </p>
14	61	NABL Lab	In RFP you have asked for factory of NABL Lab.	We suggest you kindly remove this; if required, we will provide NABL test certificate from NABL Lab.	<p><b>Clarification:</b>            Test reports from NABL- accredited LAB are required.         </p>
15		Item 3 KVA UPS	Measurements(On LCD): Load: Percentage/KW	Load level shall be indicated on the UPS display	<p><b>Revised Specification:</b>            Measurements(On LCD): Load: Percentage/KW            OR            Load level shall be indicated on the UPS display         </p>
16		Item 3 KVA UPS	Indications (LED): AC indicator/ Battery Mode of Operation/ Bypass feeding the load/UPS Fault	LED Indications not available in lower rating UPS. But those indications shall be available in the UPS LED display	<p><b>Revised Specification:</b>            Indications (LED): AC indicator/ Battery Mode of Operation/ Bypass feeding the load/UPS Fault            OR            Indications shall be available in the UPS LED display         </p>
17		Item 3 KVA UPS	Emergency Power Off: Should be provided as standard in the UPS	Not available in the lower rating UPS	<b>As per RFP</b>

18	Item 3 KVA UPS	Scheduled shutdown via NMC	Scheduled shutdown shall be possible via SNMP	<b>Revised Specification:</b> Scheduled shutdown via NMC/SNMP with support secure access (SNMPv3/HTTPS)
19	Item 3 KVA UPS	NMC Security	Not Applicable, Our Standard SNMP shall be provided	<b>Revised Specification:</b> NMC/ SNMP security is required
20	Item 3 KVA UPS	Storage Temperature : -15 Deg. C to 50 Deg. C	Storage Temperature : 0-70 Deg. C	<b>As per RFP</b>
21	Item 3 KVA UPS	Noise level : <50 dBA @ 1meter distance	Noise level : <58 dBA@ 1m distance	<b>As per RFP</b>
22	Item 2 KVA UPS	Measurements(On LCD): Load: Percentage/KW	Standard OEM provide the Load level shall be indicated on the UPS display	<b>Revised Specification:</b> Measurements(On LCD): Load: Percentage/KW OR Load level shall be indicated on the UPS display
23	Item 2 KVA UPS	Indications (LED): AC indicator/ Battery Mode of Operation/ Bypass feeding the load/UPS Fault	LED Indications not available in lower rating UPS. But those indications shall be available in the UPS LED display	<b>Revised Specification:</b> Indications (LED): AC indicator/ Battery Mode of Operation/ Bypass feeding the load/UPS Fault OR Indications shall be available in the UPS LED display

24	Item 2 KVA UPS	Emergency Power Off: Should be provided as standard in the UPS	Not available in the lower rating UPS	As per RFP
25	Item 2 KVA UPS	Remote monitoring: To be provided with access to user using a mobile app compatible with IOS/ Android	Only possible network through IP Address, cannot be used in mobile app with IOS/Android	<p><b>Revised Specification:</b> Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android/ Web browser / Desktop App</p>
26	Item 2 KVA UPS	Scheduled shutdown via NMC	Scheduled shutdown shall be possible via SNMP	<p><b>Revised Specification:</b> Scheduled shutdown via NMC/SNMP with support secure access (SNMPv3/HTTPS)</p>
27	Item 2 KVA UPS	NMC Security	Not Applicable, Our Standard SNMP shall be provided	<p><b>Revised Specification:</b> NMC/ SNMP security is required</p>
28	Item 2 KVA UPS	Storage Temperature : -15 Deg. C to 50 Deg. C	Storage Temperature : 0-70 Deg. C	As per RFP
29	Item 2 KVA UPS	Noise level : <50 dBA @ 1meter distance	Noise level : <58 dBA@ 1m distance	As per RFP
30	Item 2 KVA UPS	Form Factor: Tower Mountable	Complied	As per RFP

31	Item 2 KVA UPS	Air Filters (Mandatory)	Air Filters Not available Local Rating	As per RFP
32	Item 6 KVA UPS	Input Voltage: 200/208 ( de-rating to 90%) : 100 VAC~280 VAC 220/230/240: 100 Vac~280VAC	Complied with 50% load from 110-300 V	As per RFP
33	Item 6 KVA UPS	Measurements (On LCD): Input: Voltage & Frequency, Bypass: Voltage & Frequency, Output : Voltage, frequency, Kilowatt & KVA, Battery: Remaining time & Battery level Indicator, Load Percentage & Load Level Indicator, Ambient temperature.	Complied . This features not provided by Standard OEM	As per RFP
34	Item 6 KVA UPS	Fault Indication (On LCD) : Abnormal I/P, I/P Fuse blown , Rectifier Abnormal, BUS start abnormal, Battery start abnormal, BUS Start abnormal in battery mode, + BUS voltage too high & low, BUS voltage too high & low, Inverter O/P voltage abnormal, Overload shutdown, Charge voltage too high, Damaged Batteries, Battery missing, Battery voltage to low & Over temperature Protection.	Complied	As per RFP
35	Item 6 KVA UPS	Battery bank voltage : 192-264VDC	Complied with Battery Bank voltage : 192-240VDC with follow Standrad OEM technical Parameters	As per RFP
36	Item 6 KVA UPS	Recharge time (After Complete discharge) to 90% capacity : 3 hours to 90%	Complied with Minimum 10 Hour	<p><b>Revised Specification:</b></p> <p>Recharge time (After Complete discharge) to 90% capacity : 6-8 hours to 90% Anything competing under 5 hours for SMF is unsafe (overcharging risk) and Anything above 10 hours is considered poor-quality charger.</p>

37	Item 6 KVA UPS	REPO Port available	EPO available	As per RFP
38	Item 6 KVA UPS	Interface to NMS: SNMP (IPV6) card for connecting the UPS to LAN through Ethernet port & monitoring thru NMS should be available ( The Cost of SNMP Card/ NMS software to be quoted separately) (OPTIONAL)	Complied with SNMP	As per RFP
39	Item 6 KVA UPS	Manufacturer: QMS: As per ISO 9001: 2015 EMS: As per ISO 14001: 2015 OSHAS: As per ISO 45001: 2018 OEM Factory shall have NABL accredited calibration lab in India OEM Turnover shall be minimum 500cr per year for last 3 years. Bidder/OEM should have executed minimum single order of 1000nos of Online ups system or Total minimum 3000nos Online ups systems or had supplied 5000kva Online ups capacity in the last 2 years in Himachal Pradesh Govt Departments. Bidder/OEM should have authorized service centre in Himachal Pradesh	ISO 9001, ISO 14001, ISO 45001 available & Type Test report we do not have. We can submit internal factory test report & Executed projects shall be discussed DDE	As per RFP
40	Item 6 KVA UPS	Product Safety Certifications: IEC 62040-1:2008 ESD: IEC61000-4-2: level4 RS IEC61000-4-3: level3 EFT: IEC61000-4-4: level4 SURGE: IEC61000-4-5:level4 CS: IEC61000-4-6: level 3 IEC 61000-2-2 EN 62040-2:2006 EN 61000-3-2:2009 EN 61000-3-3:2013	Complied with IEC 62040 - 1, 2, 3 Standards . Rest Product Safety to follow by One -Two OEM .	Revised clause: Product Safety Certifications: IEC 62040 - 1, 2, 3 Standards

41	Item 10 KVA UPS	N + X Upto 4 Systems: Possibility of enhancing UPS capacity / redundancy by operating UPS in N+X Parallel. Redundant Configuration upto 4 units.	Complied	As per RFP
42	Item 10 KVA UPS	Input Voltage: 200/208 ( de-rating to 90%) : 100 VAC~280 VAC 220/230/240: 100 Vac~280VAC	Complied with 305-478V @ Full load for 3 Phase Input & Complied with 176-286V @ Full load for 1 Phase Input	<b>Revised Specification:</b> 305-478V @ Full load for 3 Phase Input & 176-286V @ Full load for 1 Phase Input
43	Item 10 KVA UPS	Input Power Factor : >0.99 (Full load)	Complied with Input PF: 0.99 @ Full load	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)
44	Item 10 KVA UPS	Nominal Output Voltage : 200/208/220/230/240 VAC	Complied with Output voltage of 415V/400V/380V for Three Phase; 220V/230V/240V for Single Phase	As per RFP
45	Item 10 KVA UPS	Automatic Bypass switch: UPS Should be capable of automatic change	Complied, Static Bypass available	As per RFP
46	Item 10 KVA UPS	Overall Efficiency (AC to AC) - Online (Double Conversion): Upto 95%(on 100% load)	Upto 93%(on 100% load)	As per RFP

47	Item 10 KVA UPS	Measurements (On LCD): Input: Voltage & Frequency, Bypass: Voltage & Frequency, Output : Voltage, frequency, Kilowatt & KVA, Battery: Remaining time & Battery level Indicator, Load Percentage & Load Level Indicator, Ambient temperature.	Ambient temperature not provided by Standrad OEM except 1-2 OEM in India	As per RFP
48	Item 10 KVA UPS	Fault Indication (On LCD) : Abnormal I/P, I/P Fuse blown , Rectifier Abnormal, BUS start abnormal, Battery start abnormal, BUS Start abnormal in battery mode, + BUS voltage too high & low, BUS voltage too high & low, Inverter O/P voltage abnormal, Overload shutdown, Charge voltage too high, Damaged Batteries, Battery missing, Battery voltage to low & Over temperature Protection.	Complied	As per RFP
49	Item 10 KVA UPS	Indications (LED) : Green & Red (For Output & Faults)	Complied	As per RFP
50	Item 10 KVA UPS	Settable data through: Inverter Voltage, Inverter Frequency, Frequency Converter, ECO Mode, Overload alarm, Buzzer, Charging current , Battery Capacity , Battery String & Parallel ID	Complied	As per RFP
51	Item 10 KVA UPS	Battery bank voltage : 192-264VDC	Battery bank voltage : 360-600VDC	<p><b>Revised Specification:</b></p> <p>Battery bank voltage : 360-600VDC</p>
52	Item 10 KVA UPS	REPO Port available	EPO available	As per RFP

53		Item 10 KVA UPS	Interface to mini TVSS Card: Mini TVSS Card is available (Optional)	Complied	As per RFP
54		Item 10 KVA UPS	Interface to BMS to be quote: ModBus Card for connecting to UPS to BMS thru RS485 PA monitoring thru BMS <b>(OPTIONAL)</b>	Complied	As per RFP
55		Item 10 KVA UPS	<p>Manufacturer: QMS: As per ISO 9001: 2015 EMS: As per ISO 14001: 2015 OSHAS: As per ISO 45001: 2018 OEM Factory shall have NABL accredited calibration lab in India OEM Turnover shall be minimum 500cr per year for last 3 years. Bidder/OEM should have executed minimum single order of 1000nos of Online ups system or Total minimum 3000nos Online ups systems or had supplied 5000kva Online ups capacity in the last 2 years in Himachal Pradesh Govt Departments. Bidder/OEM should have authorized service centre in Himachal Pradesh</p>	<p>ISO 9001, ISO 14001, ISO 45001 available &amp; Type Test report we do not have. We can submit internal factory test report &amp; Executed projects shall be discussed DDE</p>	As per RFP
56		Item 10 KVA UPS	<p>Product Safety Certifications: IEC 62040- 1:2008 ESD: IEC61000-4-2: level4 RS IEC61000-4-3: level3 EFT: IEC61000-4-4: level4 SURGE: IEC61000-4-5: level4 CS: IEC61000-4-6: level 3 IEC 61000-2-2 EN 62040-2:2006 EN 61000-3-2:2009 EN 61000-3-3:2013</p>	<p>Complied with IEC 62040 - 1, 2, 3 Standards</p>	<p><b>Revised clause:</b> Product Safety Certifications: IEC 62040 - 1, 2, 3 Standards</p>

57	Item 20 KVA UPS	Technology & Capability: d) Capability of common battery bank operation of the UPS when operated in parallel mode. g) Should have dual input design with separate bypass h) Fan Failure/Life prediction & Speed control i) Battery Aging Detection	d) Common Battery possible, when two UPS connected in Parallel Configuration g) Bypass is inbuilt in UPS and bypass terminal available for dual input connection h) Fan speed cannot be controlled & Fan failure shall be indicated via alarm i) Not Applicable	As per RFP
58	Item 20 KVA UPS	Input Power Factor : >0.99 (Full load)	176-280V @ Full load; 110-300V @ 50% load	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)
59	Item 20 KVA UPS	Current Harmonics Distortion (THDi): <3%	Current Harmonics Distortion (THDi): <5% @ full load	<b>Revised Specification:</b> Current Harmonics Distortion (THDi): <3% - required for linear payload. Current Harmonics Distortion (THDi): <5% @ full load - is for non-linear payload
60	Item 20 KVA UPS	Transient Response for 10% to 100% load variation : +/- 5%	Transient Response for 10-100% load variation: +/- 7.5%	As per RFP
61	Item 20 KVA UPS	Transient Response time for 10% to 100% load variation	Recovery time : <40ms to +/- 1%	As per RFP
62	Item 20 KVA UPS	Overall Efficiency (AC to AC) - Online (Double Conversion): Upto 96.5%(on 100% load)	AC-AC Efficiency : 93% @ Full load	As per RFP

63		Item 20 KVA UPS	Overall Efficiency ( AC to AC) - ECO Mode ( Bypass feeding the load Under normal Conditions): Upto 99%	Efficiency : 98% @ Eco mode	As per RFP
64		Item 20 KVA UPS	Inverter Overload Capability : $\leq$ 105% : continuous, 106%~ $\leq$ 125%: 2 minutes; 126% ~ $\leq$ 150%: 30seconds; >150%: 200ms	Overload Capability : 110% for 60 Mins; 125% for 10 Mins; 150% for 1 Min	As per RFP
65		Item 20 KVA UPS	Measurement (On LCD) : Input Voltage / Frequency, Bypass: Voltage / Frequency, Output: Voltage / Frequency / current, Load & percentage, Battery voltage, Capacity, Charge Mode, Last battery test time.	Load level shall be indicated, percentage will not be available & Charge mode, last battery test time not available	As per RFP
66		Item 20 KVA UPS	Battery bank voltage: 380-528V	Battery Bank voltage flexibility : 360-600VDC	<b>Revised Specification:</b> Battery Bank Voltage: 360 - 600 VDC
67		Item 20 KVA UPS	Dry contact: Available	Either SNMP/Dry contacts shall only be provided, As single communication port only available	<b>Clarification:</b> SNMP and Dry Contacts both are required.
68		Item 20 KVA UPS	REPO Port available	EPO Available	As per RFP
69		Item 20 KVA UPS	SNMP IPv6 card: Monitors and controls the status of the UPS via a network system.(OPTIONAL)	Either SNMP/Dry contacts shall only be provided, As single communication port only available	<b>Clarification:</b> SNMP and Dry Contacts both are required.

70		Item 20 KVA UPS	<p>Manufacturer:</p> <p>QMS : As per ISO 9001:2015 EMS : As per ISO 14001:2015 OSHAS : As per ISO 45001:2018, OEM Factory shall have NABL accredited calibration lab In India</p> <p>OEM Turnover shall be minimum 500Cr per year for last 3years</p> <p>Bidder/ OEM should have executed minimum single order of 1000nos of Online ups system or Total minimum 3000nos Online ups systems or had supplied 5000Kva Online ups Capacity in the last 2years in Himachal Pradesh Govt departments</p> <p>Bidder/OEM should have authorized service center in Himachal Pradesh</p>	<p>ISO 9001, ISO 14001, ISO 45001 available &amp; Type Test report we do not have. We can submit internal factory test report &amp; Executed projects shall be discussed DDE</p>	<b>As per RFP</b>
71		Item 20 KVA UPS	<p>Product Safety Certifications: IEC 62040-1:2008 ESD:IEC61000-4-2: level4 RS IEC61000-4-3: level3</p>	<p>Complied with IEC 62040 - 1, 2, 3 Standards</p>	<p>Revised clause: Product Safety Certifications: IEC 62040 - 1, 2, 3 Standards</p>
72	10	Section 2.1 Point 10	<p>As per the compliance of restrictions under rule 144 (xi) of GFR 2017; restrictions on procurement from a country which shares a land border with India.</p>	<p>Although this sanction is of year 2017, HPSCB has bought 700 Lenovo AIO systems from 2019 till 2024 and have never considered this clause while procuring the systems.</p> <p>All the branches and head office of HPSCB are working on Lenovo AIOs. This clause may please be deleted as the tender is floated particularly for HPSCB and is published on their behalf.</p>	<b>As per RFP</b>
73	45	Item No. 5	24 wire -b136 Column	<p>9 Wire - 136 Column is the standard category. The 24 Wire - 136 Column configuration is not an industry standard. Therefore, you are requested to amend it to 9 Wire - 136 Column instead of 24 Wire - 136 Column.</p>	<b>As per RFP</b>

74	52	Item No. 7 - 2 KVA Online UPS	47~53 or 57~63 Hz	40-70hz, enhanced range will help ensure better compatibility and stable performance under varying power conditions.	<b>Revised Specification:</b> Input Frequency Range: 20-70 Hz
75	54	Item No. 7 - 2 KVA Online UPS	to be provide with access to user using a mobile app compatible with IOS/Android	Monitoring can be done on mobile through web browser	<b>Revised Specification:</b> Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android/ Web browser / Desktop App
76	54	Item No. 7 - 2 KVA Online UPS	File Transfer: SCP	SCP/SFTP, Both SCP (Secure Copy Protocol) and SFTP (SSH File Transfer Protocol) are security methodologies used for transferring files securely over a network	<b>Revised Specification:</b> File Transfer: SCP and SFTP both are required.
77	55	Item No 8 3 KVA Online UPS	47~53 or 57~63 Hz	40-70hz, enhanced range will help ensure better compatibility and stable performance under varying power conditions.	<b>Revised Specification:</b> Input Frequency Range: 20-70 Hz
78	56	Item No 8 3 KVA Online UPS	Overall Efficiency (AC to AC)	90%, higher efficiency will help you reduce electricity consumption and minimize power losses, resulting in noticeable energy savings over time	<b>As per RFP</b>
79	57	Item No 8 3 KVA Online UPS	to be provide with access to user using a mobile app compatible with IOS/Android	Monitoring can be done on mobile through web browser	<b>Revised Specification:</b> Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android/ Web browser / Desktop App
80	57	Item No 8 3 KVA Online UPS	File Transfer : SCP	SCP/SFTP, Both SCP (Secure Copy Protocol) and SFTP (SSH File Transfer Protocol) are security methodologies used for transferring files securely over a network	<b>Revised Specification:</b> File Transfer: SCP and SFTP both are required.
81	62	Item No. 10 - 10 KVA Online UPS	Make / Model/ Part No to be specified by the vendor	10KVA/10KW, this is typo error only, kindly revise	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)

82	9	Pre-Qualification Criteria	15 cr. For UPS	UPS OEM Turnover should be minimum 500cr per year for the last 3 years	<p><b>Revised Clause:</b>  The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 &amp; 2024-25) should be as below:</p> <ol style="list-style-type: none"> <li>1. All in One PC: 125 Cr</li> <li>2. Printers &amp; Scanners: 125 Cr</li> <li>3. UPS: 125 Cr</li> </ol>
83			Average Annual Turnover	<p>The stipulated minimum average annual turnover of ₹50 crores during the last three financial years (FY 2022-23, 2023-24, and 2024-25) appears to be on the higher side for the scope of this project.</p> <p>In order to ensure wider participation and competitive bidding, we kindly request that the minimum turnover requirement be revised to ₹20 crores, which is adequate to assess financial capability while promoting fair competition.</p>	<p><b>Revised Clause:</b>  The minimum average annual financial turnover of the bidder during the last three years (2022-23, 2023-24 &amp; 2024-25) ending on 31st March of the latest financial year, should be 30 crores</p>
84			Past Experience Clause	<p>The condition requiring bidders to have experience specifically with two banks (public/private sector) for similar supplies may narrow down the pool of eligible bidders.</p> <p>We request you to consider broadening the experience clause to include successful execution of similar work for any Government Department, PSU, Cooperative Institution, or Autonomous Body. This will maintain the quality standards while allowing more technically capable firms to participate.</p>	<p><b>Revised Clause:</b>  The bidder should have prior experience in providing IT related equipments of 3cr in bank during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid.</p> <p>Document: Relevant purchase orders copy.</p>

85	4	Important General Conditions , Point No. 04	4. Unless otherwise specified for a part of the order, the supplies should be completed within 6-8 weeks from the date of placing the supply order. Delivery is to be made FOR destination and Installation has to be completed within 1 week after supply of material.	Sir since multiple products are to be supplied, I humbly request you to kindly extend the delivery period from 6-8 Weeks to 8-12 Weeks, and 2 Weeks for Installation.	As per RFP
86	9	SECTION 2 2.1. Eligible Bidders, Point No. 03	3. The minimum average annual financial turnover of the bidder during the last three years (2022- 23, 2023-24 & 2024-25) ending on 31st March of the latest financial year, should be 50 crores.	Sir, Since the total bid value will not be more than 20 Crore, I humbly request you to kindly reduce the turnover for the bidder from Rs. 50 Crore to Rs. 20 Crore. This will allow local bidders of Himachal Pradesh like us to participate.	<p><b>Revised Clause:</b> The minimum average annual financial turnover of the bidder during the last three years (2022- 23, 2023-24 &amp; 2024-25) ending on 31st March of the latest financial year, should be 30 crores</p>
87	9	SECTION 2 2.1. Eligible Bidders, Point No. 11	<p><b>11. Past Performance</b> The bidder should have prior experience in providing computer hardware and its peripherals such as desktop computers, UPS, printers and scanners etc. in at least two banks (public / private sector) during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid. From them must accompany the proposal. Copies of relevant contracts and satisfactory work performance letters to be submitted along with bid in support of quantity supplied in the relevant Financial Year.</p>	<p>Sir, With reference to the eligibility criteria mentioned under Clause 11 – Past Performance, we would like to request that the experience requirement may kindly not be restricted only to the banking sector.</p> <p>We have successfully executed multiple projects involving the supply of computer hardware, printers, UPS, and other peripherals to various Government Departments and Organizations, demonstrating our proven capability and experience in similar domains.</p> <p>We therefore request that the clause be broadened to include experience in Government Departments / Public Sector Undertakings / Autonomous Bodies, in addition to banks. Experience in supply of IT hardware and peripherals in such institutions should be considered valid, as the nature of work</p>	<p><b>Revised Clause:</b> The bidder should have prior experience in providing IT related equipments of 3cr in bank during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid.</p> <p>Document: Relevant purchase orders copy.</p>

88	11	SECTION 2 2.1. Eligible Bidders	The SLA / Contract with the bidder for purchase of computer hardware and peripherals will be for a period of 3 Years. After completion of three years, the bank will enter into an annual maintenance contract with the bidder for a period 3 years.	Sir, Please provide the clarifications that will the end customer post warranty period give AMC for the entire 3 years together or separately for 4th Year, 5th Year and 6th Year.	<b>Clarification:</b> The AMC which will commence from 4th year and would be paid biannually.
89	14	SECTION 2 2.10 Bid Security	Rs. 25,00,000/-	Sir, Request you to kindly reduce the EMD / Bid Security amount to Rs. 10,00,000/-	<b>Clarification:</b> The tender is for the identification of system integrator. Hence EMD is kept keeping in view the complete solution.
90	22	SECTION 2 2.19 Negotiations	2.19.4 During the negotiations on prices & other related terms/conditions, prevalent worldwide street-prices of such product, prices finalised in bids of similar size on GEM portal/Other State Government tender/rate contract etc. will be kept in mind. The scope of negotiations may also include precise modus-operandi of after-sales service, mode of delivery, system integration and price of add-ons & consumables etc.	<p>We request you to kindly not consider the GeM Portal as a tool for determining or negotiating prices, as the prices displayed on GeM are often not reflective of actual market conditions.</p> <p>The prices uploaded on GeM vary significantly due to multiple factors such as outdated listings, different configurations, incomplete specifications, and non-standard product offerings. Hence, they may not provide an accurate or fair benchmark for current procurement.</p> <p>We therefore request that price evaluation and negotiation be based on the current market rates and technical requirements specified in the tender, rather than on indicative GeM prices.</p>	As per RFP

91	27	<p><b>SECTION</b> 3 3.5 Performance Security</p> <p>3.5.2 Within 10 days of 'Notification of Award', the successful bidder/ Supplier shall initially furnish a 5% Performance Bank Guarantee of total order value valid for 75 months to safeguard the purchaser against timely delivery/installation and maintenance of ordered equipments during the currency of the contract.</p>	<p>Sir, We would like to submit that when the warranty period is for 3 years, the Performance Bank Guarantee (PBG) may kindly be sought for a period of 39 months only (i.e., warranty period plus 3 months), which is the standard industry practice.</p> <p>Further, in case the end customer decides to enter into an AMC (Annual Maintenance Contract) for the supplied equipment after the warranty period, the successful bidder can submit a separate PBG corresponding to the value and duration of the AMC contract before issuance of the order.</p> <p>We kindly request you to consider this modification in line with standard procurement norms.</p>	<p><b>Revised clause:</b></p> <p>Within 10 days of 'Notification of Award', the successful bidder/ Supplier shall initially furnish a 5% Performance Bank Guarantee of total order value valid for 39 months to safeguard the purchaser against timely delivery/installation and maintenance of ordered equipments during the currency of the contract.</p> <p>Further, in case the end customer decides to enter into an AMC (Annual Maintenance Contract) for the supplied equipment after the warranty period, the successful bidder needs to submit a separate PBG corresponding to the value and duration of the AMC contract plus three months before issuance of the order.</p>
----	----	--	--	--

92	30 SECTION 3 3.11 Payment	<p>3.11.1 After installation at the site(s), 80% of PO value will be paid within 30 days from the date of receipt of the invoice subject to satisfactory compliance of site acceptance by branches and receipt of warranty agreement. 3.11.2 Remaining 10% will be paid on expiry of 3 months period based upon satisfactory working of the installed hardware and its peripherals. Balance 10% payment shall be released after expiry of warranty or against Bank Guarantee of equal amount valid till the expiry of warranty. 3.11.3 If site testing and onsite installation at branch cannot be completed within one month after delivery, for reasons not attributable to vendor deliverables, 75% payment will be released. This is, however, subject to inspection of goods by opening the packages at the branch site and payment will be made after satisfactory installation</p>	<p>Sir, With reference to Clause 3.11 – Payment Terms, we request you to kindly reconsider the current payment structure.</p> <p>We propose that 85% payment be released on delivery of material and the remaining 15% after 3 months of delivery, subject to satisfactory performance.</p> <p>Holding 10% payment for the entire 3-year warranty period significantly increases the project cost due to blocked working capital and higher financing expenses. Moreover, since the Performance Bank Guarantee (PBG) is already being submitted for the full warranty duration, the customer's interest remains fully protected.</p> <p>We therefore request that the payment terms be modified accordingly, in line with standard industry practices and to ensure smoother project execution.</p>	<p><b>As per RFP</b></p>
93	42 Price Schedule BOQ	Sr. No. 15 Buy Back cost	<p>With reference to the tender requirement for quoting a lumpsum cost for all items under buyback, we request that the same may kindly be made item-wise instead of a consolidated amount.</p> <p>Quoting buyback prices item-wise will ensure greater transparency and accuracy in evaluation, as the quantities and product types vary. It will also help in determining the L1 bidder more clearly and fairly.</p> <p>We therefore request you to kindly consider allowing item-wise buyback pricing.</p>	<p><b>Clarification:</b></p> <p>Buy back cost would be quoted as asked through this bid document. Further, the successful bidder needs to ensure that items in buy back needs to be disposed once the procured items through this tender are installed in the premises.</p>

94		Average Annual Turnover	<p>The tender specifies that the bidder should have a minimum average annual financial turnover of ₹50 crores during the last three financial years (2022–23, 2023–24 &amp; 2024–25). We request you to kindly revise this requirement to ₹20 crores, which will continue to ensure financial soundness while allowing broader participation from capable and experienced bidders.</p>	<p><b>Revised Clause:</b> The minimum average annual financial turnover of the bidder during the last three years (2022–23, 2023–24 &amp; 2024–25) ending on 31st March of the latest financial year, should be 30 crores</p>
95		Past Performance / Experience	<p>The tender currently requires that the bidder should have experience in supplying computer hardware and peripherals (desktop computers, UPS, printers, scanners, etc.) to at least two banks (public/private sector) during the last three years. We request you to kindly modify this clause to include experience with any Government Department / PSU / Autonomous Body / Cooperative Institution, as limiting experience to banks only may restrict healthy competition and participation from otherwise qualified and experienced bidders.</p>	<p><b>Revised Clause:</b> The bidder should have prior experience in providing IT related equipments of 3er in bank during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid.</p> <p>Document: Relevant purchase orders copy.</p>
96	Item No. 2 - Multi Functional Printer	Print Technology - Laser	Include Ink Tank Technology	As per RFP
97	Item No. 3 - Pasbook Printer	Print Speed - 530 (H.S.D), 400 (draft), 150 (N.L.Q), 100 (L.Q)	Include to print speed: 480 (H.S.D), 360 (draft),	<p><b>Revised Specification:</b> Print Speed - 400-600 (H.S.D), 300-400 (draft), 200-300 (N.L.Q), 100-200 (L.Q)</p>
98	Item No. 3 - Pasbook Printer	Interface Options- USB Port, Second serial		As per RFP

99	Item No. 3 - Pasbook Printer	Passbook Type - Vertical and Horizontal	Remove Second serial port	<b>As per RFP</b>
100	Item No. 3 - Pasbook Printer	Emulation - Olivetti, IBM, EPSON, HPR 4915, HITACHI, SHINKO	Include emulation as Olivetti, IBM, EPSON or equivalent	<b>As per RFP</b>
101	Item No. 3 - Pasbook Printer	Print Head Life - 400 million dots (PIN)	400 strokes per wire	<b>As per RFP</b>
102	Item No. 4 - Flat Bed Scanner	Scanner Buttons (EZ Buttons) - 4 buttons (PDF, AUTOSCAN, COPY, SEND)	4 push buttons (PDF, Send, Copy, Start),	<b>Revised clause:</b> Scanner Buttons (EZ Buttons) - 4 buttons (PDF, AUTOSCAN, COPY, SEND) OR 4 push buttons (PDF, Send, Copy, Start) OR Similar Features
103	Item No. 4 - Flat Bed Scanner	Environment - RoHS(EU, China), WEEE(EU)	BIS Certified (India)	<b>Revised Clause:</b> Environment: RoHS (EU, China), WEEE(EU) / RoHS / BIS
104	Item No. 4 - Flat Bed Scanner	Dimension - 250 x 370 x 40 mm	249 x 364 x 39 mm (Width x Depth x Height)	<b>Clarification:</b> (+/-) 2% variation allowed in dimensions as per RFP
105	Item No. 5 Dot Matrix Printer	Ribbon Life: 40 Million characters	Include ribbon life 3 million characters or more	<b>Revised Specification:</b> Ribbon Life: 5 Million characters or more.
106	Item No. 5 Dot Matrix Printer	Ink bank Life : 10 Million characters	Include ribbon life 3 million characters or more	<b>Revised Specification:</b> Ribbon Life: 5 Million characters or more.

107	45	Item No. 1 - All in One PC	Processor	<p>Current Published value- Core i5 (Latest generation chipset)</p> <p>Change Request - Latest Generation Intel® Core™ i5 / AMD Ryzen™ 5 or better.</p> <p>Justification - This will allow broader participation from all OEM at very competitive price with latest offerings.</p>	As per RFP
108	45	Item No. 1 - All in One PC	Processor Latest Generation	<p>Please define processor no instead of writing Latest generation.</p> <p>Option 1- Normal Processor without AI / NPU Processor -intel 14th Genration Core i5 14500 / AMD Ryzen5 8500G Chipset - Commercial Chipset Memory- DDR5 with 5200MT/s or Higher</p> <p>Option 2- AI Processor with AI/ NPU Processor -Intel Core Ultra 5 / AMD Ryzen5 8600G Chipset – Commercial Chipset Memory- DDR5 with 5200MT/s or Higher</p>	<p><b>Revised Specification:</b></p> <p>Processor - Intel Core Ultra Series (Series 2) processor or better</p> <p>Chipset- Q870 or better</p>
109	45	Item No. 1 - All in One PC	Memory - 16 GB RAM Expandable upto 32 GB DDR4	Please amend same as - 2DIMM   64GB DDR5	<p><b>Revised Specification:</b></p> <p>Memory - 16 GB RAM Expandable upto 32 GB DDR5</p>
110	45	Item No. 1 - All in One PC	Ports 2x USB A 2.0, 2x USB 3.2 Gen 2 HDMI port	<p>Please amend same as –</p> <p>3x USB 3.2 Gen 1 Type A 1x USB 3.2 Gen 2 Type-A 1x USB 3.2 Gen1 Type C 1x USB 3.2 Gen 2 Type-C 1 x HDMI, 2 x DP</p>	<p><b>Revised Specification:</b></p> <p>Ports</p> <p>2x USB A 2.0, 2x USB 3.2 Gen 2 HDMI port OR</p> <p>3x USB 3.2 Gen 1 Type A 1x USB 3.2 Gen 2 Type-A 1x USB 3.2 Gen1 Type C 1x USB 3.2 Gen 2 Type-C 1 x HDMI, 2 x DP</p>
111	45	Item No. 1 - All in One PC	Wall Mount Capability	AIO Cannot be VESA mounted. This clause is erroneous in nature. Please remove it.	Clause deleted

				<b>Revised clause:</b>
112	27	Section 3 Clause No. 3.5	Within 10 days of 'Notification of Award', the successful bidder/ Supplier shall initially furnish a 5% Performance Bank Guarantee of total order value valid for 75 months to safeguard the purchaser against timely delivery/installation and maintenance of ordered equipments during the currency of the contract.	Within 10 days of 'Notification of Award', the successful bidder/ Supplier shall initially furnish a 5% Performance Bank Guarantee of total order value valid for 39 months to safeguard the purchaser against timely delivery/ installation and maintenance of ordered equipments during the currency of the contract.  Further, in case the end customer decides to enter into an AMC (Annual Maintenance Contract) for the supplied equipment after the warranty period, the successful bidder needs to submit a separate PBG corresponding to the value and duration of the AMC contract plus three months before issuance of the order.
113	30	Section 3 Clause No. 3.11 and 3.11.2	3.11.1 After installation at the site(s), 80% of PO value will be paid within 30 days from the date of receipt of the invoice subject to satisfactory compliance of site acceptance by branches and receipt of warranty agreement.  3.11.2 Remaining 10% will be paid on expiry of 3 months period based upon satisfactory working of the installed hardware and its peripherals. Balance 10% payment shall be released after expiry of warranty or against Bank Guarantee of equal amount valid till the expiry of warranty.	3.11.1 After delivery at the site(s), 80% of PO value will be paid within 30 days from the date of receipt of the invoice subject to satisfactory compliance of site acceptance by branches and receipt of warranty agreement.  3.11.2 Remaining 20% will be paid on expiry of 3 months period based upon satisfactory working of the installed hardware and its peripherals.  <b>As per RFP</b>

114	35	Section 4 Clause No. 4.1	Shifting of hardware to another site: In case of shifting of entire branch/office from existing premises to another, shifting will be responsibility of the bank. However, the de-installation/installation of equipment/hardware under warranty will be done by bidder in old and new premises respectively, at no extra cost to bank.	Shifting of hardware to another site: In case of shifting of entire branch/office from existing premises to another, shifting will be responsibility of the bank. However, the de-installation/installation of equipment/hardware under warranty will be done by bidder in old and new premises respectively, at additional cost to bank mentioned by the bidder	As per RFP
115	50	Item No. 6 to 11	Overall Efficiency (AC to AC) for Item No . Item No.6, is upto 88% For item no. at sr.no.7 is upto 90% & for item no. at sr.no.8 is upto 87% Also for Item No .9 & 10, is 95% and for item no. at 11 is 96.5%.	Kindly consider this efficiency for 1KVA upto 87%, for 1KVA upto 88%, for 3KVA upto 90%, AND for 6KVA upto 92%, for 10KVA upto 93% and for 20KVA upto 94%,	As per RFP
116	51	Item No. 6 to 11	Battery Makes: Amara Raja / Exide / HBL / Amco / Rocket	Request you to consider Exide/ Quanta Make SMF Batteries only.	<b>Revised Clause:</b> Battery Makes: Amara Raja / Exide / HBL / Amco / Rocket/ Quanta
117	51, 52, 60, 64, 65	Item No. 6 to 11	Interface to Mini TVSS Card and Interface to DCS AND Packaging Material / Vibration Withstand & Drop Test	This feature is Brand specific and not available with all the reputed UPS OEM's. Pls put as optional , as these features are Brand specific and restricting us in participation.	<b>Clarification:</b> 1. Interface to Mini TVSS Card and Interface to DCS AND are optional. 2. Packaging Material / Vibration Withstand & Drop Test - required as per RFP
118	52	Item No. 6 to 11	Certifications : OSHAS: As per ISO 14001 or better	We have ISO 14001 in OSHAS, so request you to consider ISO 14001 or better for maximum participation .	As per RFP
119	54 and 55	Item No. 6 to 11	Remote Monitoring , Scheduled Shutdown and NMC Security And Air Filters (mandatory)	This feature is Brand specific and not available with all the reputed UPS OEM's. Pls put as optional , as these features are Brand specific and restricting us in participation.	As per RFP
120	60 and 64	Item No. 9 and 10	Battery recharge time (After complete discharge) to 90% capacity - 3 hour to 90 %	It is 8-10 hours for SMF Batteries from Safety point of view , so kindly consider for 6KVA & 10KVA also as considered for other ratings.	<b>Revised Specification:</b> Recharge time (After Complete discharge) to 90% capacity : 6-8 hours to 90%, as anything competing under 5 hours for SMF is unsafe (overcharging risk) and Anything above 10 hours is considered poor-quality charger.

121	60, 64 and 68	Item No. 9, 10 and 11	Battery Bank Voltage - For 6KAV & 10KVA UPS it is asked as 192 VDC - 264 VDC & 380V- 528V DC (Flexible) for 20KVA	By specifying specific range in VDC / No. of batteries is restricting in participation , As every OEM has its own DC Voltage circuit design, As per industry standard need to match the asked VAH is more that sufficient.	Revised clause:  Battery Bank Voltage - For 6KVA, 10KVA UPS & 20KVA; Flexible
122	61, 65- 66 and 69- 70	Item No. 9, 10 and 11	Manufacturer : PQC ->OEM Factory shall have NABL accredited calibration lab in India >Bidder/OEM should have executed minimum single order of 1000nos of Online ups system or Total minimum 3000nos Online ups systems or had supplied 5000kva Online ups capacity in the last 2years in Himachal Pradesh Govt Departments.	BY mentioning OEM in house NABL lab is restricting Numeric & other reputed OEM's participation. Request you to review all these PQC in Technical specification which are in contradiction as per Tender UPS OEM PQC.	As per RFP
123	61, 65- 66 and 69- 70	Item No 9, 10 and 11	Product Safety Certifications:  IEC 62040-1:2008 ESD: IEC61000-4-2: level4 RS: IEC61000-4-3: level3 EFT: IEC61000-4-4: level4 SURGE: IEC61000-4-5: level4 CS: IEC61000-4-6: level3 IEC61000-4-8 IEC 61000-2-2 EN 62040-2:2006 EN 61000-3-2:2009 EN 61000-3-3:2013	BY mentioning so many certifications are restricting us in participation , request you to consider BIS ROHS / REACH and CE and IEC 62040 -1 ,2 & 3 Product Safety Certifications which are available in most of the reputed OEM's.	Revised clause:  Product Safety Certifications:  IEC 62040 - 1, 2, 3 Standards

124	10	Section 2 Pre qualification criteria	<p><b>Past Performance</b> - The bidder should have prior experience in providing computer hardware and its peripherals such as desktop computers, UPS, printers and scanners etc. in at least two banks (public / private sector) during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid. From them must accompany the proposal.</p> <p>Copies of relevant contracts and satisfactory work performance letters to be submitted along with bid in support of quantity supplied in the relevant Financial Year.</p>	<p>It is requested to kindly include experience in providing similar supplies to the Ministry / Government of India / State Governments / PSUs or their Institutions / Organizations in lieu of the restriction to banks only. This will ensure wider participation from experienced vendors serving various government and institutional sectors.</p>	<p><b>Revised Clause:</b> The bidder should have prior experience in providing IT related equipments of 3cr in bank during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid.</p> <p>Document: Relevant purchase orders copy.</p>
125	9	Section 2 Pre qualification criteria	<p>The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 &amp; 2024-25) should be as below:</p> <ol style="list-style-type: none"> <li>1. All in One PC: 50 cr</li> <li>2. Printers &amp; Scanners: 15 cr</li> <li>3. UPS: 15 cr</li> </ol>	<p>Please clarify what is the exact turnover required by the department as there is the contradictory in the tender where in the 15 Cr. for the UPS asked in the eligibility criteria and also asked under the technical specification of 6KVA, 10KVA and 20KVA.</p>	<p><b>Revised Clause:</b> The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 &amp; 2024-25) should be as below:</p> <ol style="list-style-type: none"> <li>1. All in One PC: 125 Cr</li> <li>2. Printers &amp; Scanners: 125 Cr</li> <li>3. UPS: 125 Cr</li> </ol>
126	46	Item No. 1 - All in One PC	<p>Certification- Win Logo 11 OS, Linux, ROHS, Energy Star, Low Blue Light Certification Certifications: UL, FCC, ROHS</p>	<p>We request to include Win Logo 11 OS/Boss, Linux, ROHS, Energy star, UL, FCC, ROHS and remove Low Blue Light Certification since it is a foreign certification.</p>	<p><b>Revised clause:</b> Certification- Win Logo 11 OS, Linux, ROHS, Energy Star, Low Blue Light (Optional) Certification Certifications: UL, FCC, ROHS</p>
127	46	Item No. 2 - Multi Functional Printer	<p>Point-6 Print Technology- Laser</p>	<p>Request to allow Ink Tank Technology as an alternative.</p>	<p><b>As per RFP</b></p>

128	46	Item No. 3 - Pasbook Printer	Point-3 Print Speed (CPS at 10 CPI)- 530 (H.S.D), 400 (draft), 150 (N.L.Q), 100 (L.Q)	Print Speed available — 480 (HSD), 360 (Draft).	<b>Revised Specification:</b> Print Speed - 400-600 (H.S.D), 300-400 (draft), 200-300 (N.L.Q), 100-200 (L.Q)
129	46	Item No. 3 - Pasbook Printer	Point-10 Interface Options- USB Port, Second Serial	Second Serial Port not available.	<b>Clarification:</b> 1. USB is required. 2. Second Serial Port is also required.
130	48	Item No. 5: Dot Matrix Printer	Point-3 Ribbon Life- 40 Million characters	3 million characters	<b>Revised Specification:</b> Ribbon Life: 5 Million characters or more.
131	48	Item No. 5: Dot Matrix Printer	Point-4 Inkbank Life- 10 Million characters	Reibbon life 3 million characters	<b>Revised Specification:</b> Ink Bank life Life: 5 Million characters or more.
132	52	Item No. 7 - 2 KVA Online UPS	Overall Efficiency (AC to AC) — Online (Double Conversion)		<b>As per RFP</b>
133	52	Item No. 7 - 2 KVA Online UPS	2 95% in Green ECO mode	We have Bypass mode, not ECO Mode	<b>Clarification:</b> ECO mode is optional. Reason: As Bypass mode and Eco mode cannot operate simultaneously even if present.
134	52	Item No. 7 - 2 KVA Online UPS	USB Port- Shall be present in the UPS	only RS232 Port	<b>Clarification:</b> USB and RS232 port both are required.
135	52	Item No. 7 - 2 KVA Online UPS	Emergency Power Off- Should be provided as standard in the UPS	Not available	<b>As per RFP</b>
136	52	Item No. 7 - 2 KVA Online UPS	Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android	Desktop application only	<b>Revised Specification:</b> Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android/ Web browser / Desktop App

137	52	Item No. 7 - 2 KVA Online UPS	NMC Security- Remote Authentication Dial-In User Service for central administer remote access shall be provided	Need Clarity	<b>Clarification:</b> NMC Security is required for RADIUS - Remote Authentication Dial-In User Service
138	52	Item No. 7 - 2 KVA Online UPS	Form Factor- Tower mountable both	Only Tower	<b>Revised Specification:</b> Form Factor: Tower Mountable or Tower
139	52	Item No. 7 - 2 KVA Online UPS	Air Filters (mandatory)- UPS should have internal anticorrosion air filters for dust filtration	Not available	<b>As per RFP</b>
140	55	Item No. 8 - 3 KVA Online UPS	2 95% in Green ECO mode	ECO Mode — Not available (Bypass Mode only).	<b>Clarification:</b> ECO mode is optional. Reason: As Bypass mode and Eco mode cannot operate simultaneously even if present.
141	55	Item No. 8 - 3 KVA Online UPS	Green Mode/Eco Mode- Shall be provided in each UPS (All ratings) to choose Higher Efficiency Mode of Operation	ECO Mode — Not available (Bypass Mode only).	<b>Clarification:</b> ECO mode is optional. Reason: As Bypass mode and Eco mode cannot operate simultaneously even if present.
142	55	Item No. 8 - 3 KVA Online UPS	USB Port- Shall be present in the UPS	only RS232 Port	<b>Clarification:</b> USB and RS232 port both are required.
143	55	Item No. 8 - 3 KVA Online UPS	Emergency Power Off- Should be provided as standard in the UPS	EPO — Not available.	<b>As per RFP</b>
144	55	Item No. 8 - 3 KVA Online UPS	Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android	Desktop application only	<b>Revised Specification:</b> Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android/ Web browser / Desktop App
145	55	Item No. 8 - 3 KVA Online UPS	NMC Security- Remote Authentication Dial-In User Service for central administer remote access shall be provided	NMC Security — Clarification required.	<b>Clarification:</b> NMC Security is required for RADIUS - Remote Authentication Dial-In User Service

146	55	Item No. 8 - 3 KVA Online UPS	Form Factor- Tower mountable both	Only Tower	<b>Revised Specification:</b> Form Factor: Tower Mountable or Tower
147	55	Item No. 8 - 3 KVA Online UPS	Air Filters (mandatory)- UPS should have internal anticorrosion air filters for dust filtration	Not available	<b>As per RFP</b>
148		Item No. 9 - 6 KVA Online UPS	Capacity (in kVA / kW)- 6kVA/ 6kW, 1Phase Input / I-Phase Output	Capacity acceptable. Can supply at 0.9 PF with lead time.	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)
149		Item No. 9 - 6 KVA Online UPS	Nominal Voltage- 200/208/220/230/240 VAC	220/230/240 VAC	<b>Revised Specification:</b> Nominal Voltage: 220/230/240 VAC is acceptable.
150		Item No. 9 - 6 KVA Online UPS	Nominal Voltage Range- 200/208 (derating to 90%): 100VAC 280 VAC	120-280	<b>Revised specification:</b> Nominal Voltage Range- 120-280
151		Item No. 9 - 6 KVA Online UPS	Nominal Output Voltage 200/208/220/230/240 VAC	220/230/240 VAC.	<b>Revised Specification:</b> Nominal Output Voltage: 220/230/240 VAC is acceptable.
152		Item No. 10 - 10 KVA Online UPS	Capacity (in kVA / kW)- 10kVA / 10kW 1Phase Input / I-Phase Output	Capacity acceptable. Can supply at 0.9 PF with lead time.	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)
153		Item No. 10 - 10 KVA Online UPS	Nominal Voltage Range- 200/208 (derating to 90%): 100VAC 280 VAC; 220/230/240 : 100VAC 280 VAC	120-280	<b>Revised specification:</b> Nominal Voltage Range- 120-280

154	Item No. 10 - 10 KVA Online UPS	Battery Bank Voltage-192 VDC - 264 VDC	192 VDC- 240 VDC	As per RFP
155	Item No. 11 - 20 KVA UPS	Capacity (in kVA/ kW)- 20 kVA / 20 kW 3Phase Input / 1-Phase Output	Capacity acceptable. Can supply at 0.9 PF with lead time.	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)
156	Item No. 11 - 20 KVA UPS	20 kVA / 20 kW 3-Phase Input / 3-Phase Output	UPS is not with "Auto adaptable ). Either 3/1 or 3/3 possible	As per RFP
157	Item No. 11 - 20 KVA UPS	Technology and Capability g) Should have Dual Input design with separate bypass.	OK , Customized additional cost	As per RFP
158	Item No. 11 - 20 KVA UPS	i) Battery Aging Detection.	Not Available	As per RFP
159	Item No. 11 - 20 KVA UPS	Input Voltage Range- Range (Derating to	Derating 208-485 VAC	As per RFP
160	Item No. 11 - 20 KVA UPS	Load) 138V-305VAC / 305V485VAC		As per RFP
161	Item No. 11 - 20 KVA UPS	Battery Bank Voltage- 380V—528V DC (Flexible)	192-216-240	As per RFP
162	Item No. 1 - All in One PC	Certification: Win Logo 11 OS, Linux, RoHS, Energy Star, Low Blue Light Certification, UL, FCC, ROHS	Win Logo 11 OS/Boss Linux, RoHS, Energy Star,,UL, FCC, ROHS,	<b>Revised clause:</b> Certification: Win Logò 11 OS, Linux, RoHS, Energy Star, Low Blue Light Certification (Optional), UL, FCC, ROHS

163		Pre Qualification Criteria	NA Suggestion	UPS OEM Turnover should be minimum 500cr per year for the last 3 years. Bidder/OEM should have executed minimum single order of 1000nos of Online ups system or Total minimum 3000nos Online ups systems or had supplied 5000kva Online ups capacity in the last 2 years in Himachal Pradesh Govt Departments. Bidder/OEM should have authorized service centre in Himachal Pradesh	<b>Revised Clause:</b> UPS OEM Turnover should be minimum Rs 125 Cr per year for the last 3 years
164	52	Item no.7 2kva Online ups	Input Frequency Range - 47~53 or 57~63 Hz	Input Frequency Range - 47~53 or 57~63 Hz	<b>As per RFP</b>
165	54	Item no.7 2kva Online ups	Remote Monitoring - to be provide with access to user using a mobile app compatible with IOS/Android	Monitoring can be done on mobile through web browser	<b>Revised Specification:</b> Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android/ Web browser / Desktop App
166	54	Item no.7 2kva Online ups	NMC Security - File Transfer: SCP	SCP/SFTP, Both SCP (Secure Copy Protocol) and SFTP (SSH File Transfer Protocol) are security methodologies used for transferring files securely over a network	<b>As per RFP</b>
169	57	Item no.8 3kva Online ups	Remote Monitoring - to be provide with access to user using a mobile app compatible with IOS/Android	Monitoring can be done on mobile through web browser	<b>Revised Specification:</b> Remote Monitoring- To be provided with access to user using a mobile app compatible with iOS / Android/ Web browser / Desktop App
170	57	Item no.8 3kva Online ups	NMC Security - File Transfer: SCP	SCP/SFTP, Both SCP (Secure Copy Protocol) and SFTP (SSH File Transfer Protocol) are security methodologies used for transferring files securely over a network	<b>As per RFP</b>
171	62	Item no.10 10 kva Online ups	Make/ Model/ Part No to be specified by the vendor	10KVA/10KW, this is typo error only, kindly revise	<b>Revised Specification:</b> (for all UPS) Power Factor : 1.0 (unity)

172	45	Item No. 1 - All in One PC	Processor- Core i5 (Latest generation chipset)	We would like to request the department to amend the processor to Intel Core i5 14th Generation and Intel Q series chipset to have level playing field for all OEM's. It is available with all leading OEM's.	<b>Revised Specification:</b> Processor - Intel Core Ultra Series (Series 2) processor or better Chipset- Q870 or better
173	45	Item No. 1 - All in One PC	Memory- 16GB RAM Expandable upto 32 GB DDR4	We would like to request the department to amend the RAM to 1x16GB DDR5 Memory expandable up to 64GB. Speed of DDR5 memory is much faster than DDR4 and also available with all leading OEM's	<b>Revised Specification:</b> Memory - RAM to 1x16GB DDR5 or above Memory expandable up to 32GB
174	45	Item No. 1 - All in One PC	Ports- 2x USB A 2.0, 2x USB 3.2 Gen 2	We would like to request the department to amend the currently asked USB ports to 2x USB 3.2 Gen1, 3x USB 3.2 Gen2 as per latest industry standards	<b>Revised Specifications:</b> Ports- 2x USB A 2.0, 2x USB 3.2 Gen 2 OR USB ports to 2x USB 3.2 Gen1, 3x USB 3.2 Gen2 OR Similar
175	45	Item No. 1 - All in One PC	Ports- HDMI port	We would like to request the department to ask for HDMI - Out port in AIO Desktop to have multi display connectivity	<b>As per RFP</b>
176	45	Item No. 1 - All in One PC	Hard Disk Drive- Minimum 512 GB SSD	We would like to request the department to amend the SSD to 512GB PCIe NVMe SSD. Speed of NVMe SSD is much faster than normal SATA SSD.	<b>Clarification:</b> 512GB PCIe NVMe SSD OR SATA SSD
177	45	Item No. 1 - All in One PC	Network Connectivity- WiFi	We would like to request the department to amend the Network connectivity to Wi-Fi6 with Bluetooth 5.3 as per latest industry standards	<b>As per RFP</b>
178	45	Item No. 1 - All in One PC	Webcam- 720p camera, with single digital microphone, LED indicator, with privacy Feature	We would like to request the department to amend the webcam to Integrated 5 MP webcam with autoframing feature, Integrated mic and speakers with AI based noise cancellation/reduction. These features are essential for online meetings	<b>As per RFP</b>

179	46	Item No. 1 - All in One PC	Certification- Win Logo 11 OS, Linux, RoHS, Energy Star, Low Blue Light Certification Certifications: UL, FCC, ROHS	<p>We would like to request the department to amend the Certifications as per below to have reliable and quality product.</p> <p>Microsoft Windows 11, Ubuntu Certified, FCC, CE, RoHS, UL, EPEAT Gold India, Energy Star, TCO 9.0, MIL STD 810H, ISO 9001, 14001, 20001, 27001</p>	<p><b>Revised clause:</b></p> <p>Certification: Win Logo 11 OS, Linux, RoHS, Energy Star, Low Blue Light Certification (Optional), UL, FCC, ROHS</p>
180	46	Item No. 1 - All in One PC	Security- TPM 2.0	<p>We would like to request the department to amend the Security features as per below:</p> <p>Hardware based endpoint security controller TPM 2.0,</p> <p>Integrated Intrusion Sensor,</p> <p>Support for chassis cable lock devices,</p> <p>Drive lock option for HDD to secure Data</p>	<b>As per RFP</b>
181	46	Item No. 2 - Multi Functional Printer	Duty cycle (monthly, A4)- Up to 8,000 pages	<p>We would like to request the department to amend the currently asked Duty Cycle to Up to 20,000 pages.</p> <p>A higher duty cycle in a multifunction printer means it can handle more pages per month without wearing out. This is important for busy environments because it ensures better durability, fewer breakdowns, and consistent performance even with heavy daily use</p>	<p><b>Revised Specification:</b></p> <p>Duty Cycle (monthly, A4) - Upto 20,000 pages</p>
182	46	Item No. 2 - Multi Functional Printer	Display- 2-line LCD (text)	<p>We would like to request the department to amend the Display parameter to 1.27" Icon LCD. Every MFM have different size of display, so we request you to mention the specification as LCD display</p>	<p><b>Revised Specification:</b></p> <p>Display - 2 line LCD (text)</p> <p>OR</p> <p>at least 1.27" Icon LCD</p>

183	47	Item No. 4 - Flat Bed Scanner	Optical Resolution (ISO 14473)- 2400 x 4800dpi	We would like to request the department to amend the Optical Resolution to Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) to have healthy participation	<b>Revised Specification:</b> Optical Resolution - 600 dpi to 1200 dpi
184	47	Item No. 4 - Flat Bed Scanner	Selectable Resolution- 25 - 19200 dpi	we would like to request the department to amend the currently asked resolution to 75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi	<b>Revised Specification:</b> Selectable Resolution - 75; 150; 200; 240; 300; 400; 500; 600; 1200 dpi
185	48	Item No. 4 - Flat Bed Scanner	Preview Speed (Post Pre Processing Time)- 14 sec	We would like to request the department to remove this parameter as it is restricting the participation	<b>Clause deleted</b>
186	48	Item No. 4 - Flat Bed Scanner	Scan Speed Color 4*6, 300 dpi- 7 sec	We would like to request the department to remove this parameter as it is restricting the participation	<b>Clause deleted</b>
187	48	Item No. 4 - Flat Bed Scanner	Scanning Speed (Reflective) - Windows Color - 16.7msec/line (2400 dpi) 8.4msec/line (1200 dpi) 4.3msec/line (600 dpi) 3.7msec/line (300 dpi)	We would like to request the department to remove this parameter as it is restricting the participation	<b>Clause deleted</b>
188	48	Item No. 4 - Flat Bed Scanner	Scanner Buttons (EZ buttons)- 4 buttons (PDF, AUTOSCAN, COPY, SEND)	We would like to request the department to amend the currently asked specifications to 5 button (Power, Scan, Duplex, Shortcut Select, Cancel ) to have healthy participation	<b>Revised Specification:</b> Scanner Buttons (EZ buttons)- 4 buttons (PDF, AUTOSCAN, COPY, SEND) OR 5 button (Power, Scan, Duplex, Shortcut Select, Cancel ) OR Similar
189	48	Item No. 4 - Flat Bed Scanner	Temperature- 5 - 35°C (41 - 95°F)	We would like to request the department to amend the Temperature specifications as per below:  Operating Temperature Range (celsius) 10 to 35°C  Operating Temperature Range (recommended celsius) 17.5 to 25°  Storage Temperature Range (celsius)-40 to 60°C	<b>Revised Specification:</b> 1. Operating Temperature Range: 10°C to 32°C (Acceptable up to 35°C)  2. Recommended Operating Temperature: 15°C to 27°C (Aligned with normal office AC conditions)  3. Storage Temperature Range: -20°C to 45°C (Acceptable up to 60°C)

190	48	Item No. 4 - Flat Bed Scanner	Humidity- 10 - 90%RH (no dew condensation)	<p>We would like to request the department to amend the Humidity as per below:</p> <p>Non-operating Humidity Range 0 to 90% RH (noncondensing)</p> <p>Operating Humidity Range 15 to 80% RH (noncondensing)</p>	<p><b>Revised Specification:</b></p> <ol style="list-style-type: none"> <li>1. Operating Humidity Range: 20% to 80% RH (non-condensing).</li> <li>2. Storage/Non-operating Humidity: 10% to 90% RH (non-condensing).</li> </ol>
191	48	Item No. 4 - Flat Bed Scanner	Power Supply- Supplied via USB port	We would like to request the department to amend the Power Supply to External power adapter to have healthy participation	<p><b>Clarification:</b> Support by USB port OR External Power adaptor</p>
192	48	Item No. 4 - Flat Bed Scanner	Power Consumption- 2.5W	We would like to request the department to amend the Power Consumption to 12.90 watts (Active - Scanning), 5 watts (Ready), 1.11 watts (Sleep), 0.06 (Auto-Off), 0.06 (ManualOff)	<p><b>Revised Specification:</b></p> <p><b>Power Consumption:</b></p> <ul style="list-style-type: none"> <li>• Active (Scanning): ≤ 15W</li> <li>• Ready: ≤ 6W</li> <li>• Sleep: ≤ 1.5W</li> <li>• Auto-Off / Manual Off: ≤ 0.1W</li> </ul>
193	48	Item No. 4 - Flat Bed Scanner	Dimension (WxDxH) mm- 250×370×40 mm	We would like to request the department to amend the currently asked Dimension to 491.5 x 325.4 x 133.3 mm to have healthy participation	<b>As per RFP</b>
194	48	Item No. 4 - Flat Bed Scanner	Dimension (WxDxH) inch- 9.9 x 14.6 x 1.6 in	We would like to request the department to amend the currently asked Dimension to 19.4 x 12.8 x 5.2 in to have healthy participation	<b>As per RFP</b>
195	48	Item No. 4 - Flat Bed Scanner	Weight- 1.6 kg	We would like to request the department to amend the currently asked Weight to 5.4 kg to have healthy participation	<p><b>Revised Specification:</b></p> <p>Weight - 1.6 Kg or higher</p>
196	9	Section 2 2.1 Eligible Bidders	The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 & 2024-25) should be as below: 1. All in One PC: 50 cr 2. Printers & Scanners: 15 cr	We would like to request the department to amend the currently asked OEM Turn Over of All in One PC and Printer to Minimum 500 CR to have reliable and consistent OEM Product	<p><b>Revised Clause:</b></p> <p>The annual average turnover (in terms of sales of hardware of similar nature as that of items listed in the RFP in India) of the OEM whose equipment are sought to be supplied, for last three years (2022-23, 2023-24 &amp; 2024-25) should be as below:</p> <ol style="list-style-type: none"> <li>1. All in One PC: 125 Cr</li> <li>2. Printers &amp; Scanners: 125 Cr</li> <li>3. UPS: 125 Cr</li> </ol>

197	10	Section 2 2.1 Eligible Bidders	The bidders / OEMs shall propose only those products, which would not be declared end of life until next 6 years from date of installation. Further, those products should also not go End of Support before end of 6th year from the date of installation.	We would like to request the department to amend the currently asked clause as per below. The bidders / OEMs shall propose only those products, which would not be declared end of life until next 3 years from date of installation. Further, those products should also not go End of Support before end of 3rd year from the date of installation.	<b>Clarification:</b> The quoted products should include 3 year AMC after completion of 3 year warranty.
198	10	Section 2 2.1 Eligible Bidders	<p><b>Past Performance:</b> The bidder should have prior experience in providing computer hardware and its peripherals such as desktop computers, UPS, printers and scanners etc. in at least two banks (public / private sector) during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid. From them must accompany the proposal. Copies of relevant contracts and satisfactory work performance letters to be submitted along with bid in support of quantity supplied in the relevant Financial Year.</p>	<p>The bidder/OEM should have prior experience in providing computer hardware and its peripherals such as desktop computers, UPS, printers and scanners etc. in at least two banks (public / private sector) during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid. From them must accompany the proposal.</p> <p>Copies of relevant contracts and satisfactory work performance letters to be submitted along with bid in support of quantity supplied in the relevant Financial Year.</p>	<b>Revised Clause:</b> The bidder should have prior experience in providing IT related equipments of 3cr in bank during the period of last three years i.e. 1st April 2022 to 31st March 2025 and current financial year i.e. from 1st April 2025 to till last date fixed for submission of Bid.  Document: Relevant purchase orders copy.
199	47	Item No. 3 - Pasbook Printer	. Power Consumption Standby :13 W, Printing: 80W	We request you please amended this point with Standby :2.5 W, Printing: 85W	<b>Revised Specification:</b> Power Consumption: • Standby: 5W – 10W • Printing: 60W – 85W
200	47	Item No. 3 - Pasbook Printer	Consumables Ribbon Cartridge 3.5 million characters	We request you please amended this point with Min 5 Million Characters & 10 Million Characters	<b>Revised Specification:</b> Consumables Ribbon Cartridge: 5 million characters or more
201		MFM	RAM: 64 MB or above	Minimum – 1 GB – Reason 64 MB is very basic and old specification	<b>Revised Specification:</b> RAM - >=512 MB
202		MFM	Duty cycle (monthly, A4)- Up to 8,000 pages	Minimum – 40,000 per month.	<b>Revised Specification:</b> Duty Cycle (monthly, A4) - Upto 20,000

203		MFM	Print Technology - Laser	Reason – 95 % Technology used and sold is composite Technology to avoid costly repair.	As per RFP
204		Flat Bed Scanners	Power Consumption: 2.5 W	Approx 4.5 W	<b>Revised Specification:</b> Power Consumption: • Active (Scanning): ≤ 15W • Ready: ≤ 6W • Sleep: ≤ 1.5W • Auto-Off / Manual Off: ≤ 0.1W
205		Flat Bed Scanners	Environment: RoHS (EU, China), WEEE(EU)	RoHS	<b>Revised Clause:</b> Environment: RoHS (EU, China), WEEE(EU) / RoHS / BIS
206		Flat Bed Scanners	Dimensions: 250*370*40 mm	250*367*42mm	<b>Clarification:</b> (+/-) 2% variation allowed in dimensions as per RFP
207		Flat Bed Scanners	Weight- 1.6 kg	1.7 Kg	<b>Revised Specification:</b> Weight - 1.6 Kg or higher
208		Flat Bed Scanners	Dimensions: 9.9 *14.6 * 1.6 in	250 *367*42 mm	<b>Clarification:</b> (+/-) 2% variation allowed in dimensions as per RFP
209	NA	All in One	All in One	Newly added clause	<b>Newly added clause:</b> Item No 1: All in One PC Processor - Intel Core Ultra Series (Series 2) processor or better Chipset- Q870 or better
210	NA	Buyback	Buyback	Newly added clause	<b>Newly added clause:</b> <b>Buyback and Removal of Old Equipment:</b> The successful bidder/System Integrator shall be solely responsible for the physical pickup, dismantling (if required), and removal of the buyback items from the respective bank premises/branches at no additional cost to the Bank. The pickup shall be carried out within the timelines specified by the Bank and in coordination with the concerned branch officials. The System Integrator shall ensure safe handling, transportation, and disposal/recycling of the buyback items in compliance with applicable environmental and statutory regulations. No responsibility whatsoever shall rest with the Bank for logistics, manpower, or any associated costs related to the buyback item pickup.

211	NA	General	General	Newly added clause	<b>Newly added clause:</b>  The system integrator needs to ensure that within 30 days from the date of award, 400 All in One PCs needs to be delivered out of 1014 mentioned quantity in the bid document. Remaining all items/ quantity needs to be delivered as per timelines of the bid document.
-----	----	---------	---------	--------------------	--

## ANNEXURE-B

Sl No	Bank Name	District	Branch Name	SPOC Name	Contact Number	Email ID	Branch Address
1	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BARMANA	Jagdish Ram	70181-00148	bmbarmana@hpscb.com	BO BARMANA N.H.21 BILASPUR MANDI RD BARMANA TEHSIL SADAR DISTT BILASPUR 174001
2	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BASSI	Mamta Sharma	94184-74125	bmbassi@hpscb.com	BRANCH OFFICE BASSI KEHLOOR DISTT BILASPUR 174002
3	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BERI	Sheesh Ram	93187-85814	bmberi@hpscb.com	BRANCH OFFICE BERI DISTRICT BILASPUR 174001
4	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BERTHIN	Mohinder Singh	70181-72624	bmberthin@hpscb.com	BRANCH OFFICE BERTHIN TEHSIL JHANDUTTA PIN174029
5	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BHAGER	Pawan Kumar	98052-81406	bmbhager@hpscb.com	VPO BHAGER TEHSIL GHUMARWIN BILASPUR 174021
6	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BHARARI	Vijay	98171-73943	bmbharari@hpscb.com	BRANCH OFFICE BHARARI PO LEHRI SAREL TEHSIL GHUMARWIN DISTT BILASPUR PIN174027
7	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BILASPUR	Meena kumari	70183-54376	bmbilaspur@hpscb.com	BRANCH OFFICE BILASPUR BANK BUILDING MAIN MARKET BILASPUR PIN174001
8	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	BUM	Ramesh Thakur	70181-13588	bmbum@hpscb.com	BUM PO PANTEHRA TEHSIL GHUMARWIN PIN174028
9	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	CHANDPUR	Naveena Sharma	98161-73714	bmchandpur@hpscb.com	VPO CHANDPUR TEH SADAR DISTT BILASPUR H.PPIN174004
10	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	DADHOL	Anjana Chaddha	94183-46146	bmdadhol@hpscb.com	BRANCH DADHOL TEHSIL GHUMARWIN DISTT BILASPUR, PIN174023
11	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	DANGAR	Sarthak Thakur	70185-01957	bmdangar@hpscb.com	DANGAR TEHSIL GHUMARWIN DISTT BILASPUR PIN174023
12	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	DHAR TATOH	Rajeev Gautam	94184-70995	bmdhartatoh@hpscb.com	GP DHAT TATOH NEAR PAGAI DISTRICT BILASPUR 174001
13	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	EC GHARAN	Ram Bhaj	98779-51349	bmgharan@hpscb.com	EXTENSION COUNTER GHARANBO SHAHTALAI DISTT BILASPUR PIN 174030
14	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	EC GHAWANDAL	Deepa Chaudhry	70184-61566	bmghawandal@hpscb.com	EXTENSION COUNTER GHAWANDAL BO NAINA DEVI JI DISTT BILASPUR PIN 174310
15	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	EC KOTHIPURA	Nikshunj	98175-26346	bmkothipura@hpscb.com	EC KOTHIPURA UNDER BO LAKHANPUR DISTT BILASPUR PIN174001
16	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	GEHRWIN	Ramesh chand	70185-38965	bmgehrwin@hpscb.com	GEHRWIN VILL TANGLA PO GEHRWIN TEHSIL JHANDUTTA DISTT BILASPUR PIN 174034
17	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	GHUMARWIN	Mahinder Sharma	98165-93003	bmghumarwin@hpscb.com	GHUMARWIN DISTT BILASPUR PIN 174021
18	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	GOLTHAI	Ritesh Minhas	98059-39396	bmgolthal@hpscb.com	GOLTHAI TEHSIL SRI NAINA DEVI JI DISTT BILASPUR PIN174201
19	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	GUGA MOHRA	Dharam Singh	98051-44501	bmguggamohra@hpscb.com	GUGA MOHRA PO KAPAHORA TEHSIL GHUMARWIN DISTT BILASPUR PIN174029
20	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	HARLOG	Raj Pal	78072-45076	bmharlog@hpscb.com	VPO HARLOG TEH GHUMARWIN DISTT BILASPUR H.P PIN174003
21	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	HARNORA	Hina Malik	85806-23358	bmharnora@hpscb.com	HARNORA TEHSIL SADAR DISTT BILASPUR PIN174013
22	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	HATWAR	Narender Soni	94182-00281	bmhatwar@hpscb.com	VPO HATWAR TEHSIL GHUMARWIN DISTT BILASPUR PIN174028
23	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	JEJWIN	Rakesh Mehta	70188-96552	bmjejhwin@hpscb.com	JEJWIN TEHSIL JHANDUTTA DISTT BILASPUR PIN 174017

SN	Bank Name	District	Branch Name	SP/O.C Name	Contact Number	Email ID	Branch Address
24	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	JHANDUTA	Vijay Kumar	62303-44108	bmjhandutta@hpscb.com	JHANDUTTA DISTT BILASPUR PIN174031
25	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	JKHALA	Hans Raj	98164-62249	bmjukhala@hpscb.com	JKHALA TEHSIL SADAR DISTT BILASPUR PIN174033
26	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	KALARI	Dinseh Chopra	70189-69691	bmkalari@hpscb.com	KALLARI PO NASWAL TEHSIL GHUMARWIN DISTT BILASPUR PIN174021
27	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	KANDRAUR	Banita Sharma	78073-85655	bmkandraur@hpscb.com	KANDRAUR TEHSIL SADAR DISTT BILASPUR PIN174004
28	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	KAULAN WALA TOBA	Dhruv Mohan Kapil	97363-60992	bmkaulanwalatoba@hpscb.com	VPO KAULAN WALA TOBA TEHSIL SHRI NAINA DEVI JI DISTT BILASPUR H.P.PIN 174002
29	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	KUTHERA	Dev Raj Raghuvanshi	70189-21299	bmkuthera@hpscb.com	BRANCH OFFICE KUTHERA TEHSIL GHUMARWIN DISTRICT BILASPUR 174026
30	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	LAKHANPUR	Anil Kumar	82197-88874	bmlakhapur@hpscb.com	LAKHANPUR TEHSIL SADAR DISTT BILASPUR PIN174001
31	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	LOHAT	Deepak Raj	94186-64138	bmlohat@hpscb.com	GP BHARARI DISTRICT BILASPUR 174023
32	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	MALOKHAR	Hari Ram	97362-47006	bmmalokhar@hpscb.com	MALOKHAR PO CHHAKHOH DISTT BILASPUR PIN174001
33	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	NAMHOL	Tilak Raj Shukla	94186-28431	bmnamhol@hpscb.com	BRANCH OFFICE NAMHOL DISTRICT BILASPUR PIN174032
34	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	SH NAINA DEVI JI	Sanjeev Kumar	80917-00571	bmshrinainadevi@hpscb.com	SRI NAINA DEVI JI TEHSIL NAINA DEVI JI PIN174310
35	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	SHAHTALAI	Ajay Thakur	98058-24154	bmshahtalai@hpscb.com	SHAHTALAI TEHSIL JHANDUTA DISTT BILASPUR PIN174030
36	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	SWARGHAT	Champa Devi	85447-22460	bmswarghat@hpscb.com	SWARGHAT TEHSIL SRI NAINA DEVI JI DISTT BILASPUR PIN174011
37	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	BILASPUR	TRIFALGHAT	Susheel Kumar	82193-17971	bmt trifalghat@hpscb.com	TRIFAL GHAT POHAWAN TEHSIL GHUMARWIN DISTT BILASPUR PIN174003
38	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	AWAN	Sh. Nikhil Sharma	70181-93719	bmawan@hpscb.com	GP AWAN TEHSIL BHATTIYAT DISTT CHAMBA 176313
39	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	BANIKHET	Ms. Nidhi Mandla	94181-22660	bmbanikhet@hpscb.com	BRANCH OFFICE BANIKHET MAIN BAZAR BANIKHET DISTT CHAMBA PIN 176303
40	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	BATHRI	Sh. Vivek Singh Thapa	70184-24489	bmbathri@hpscb.com	BATHRI DISTT CHAMBA 176306
41	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	BHANJRARU	Ms. Manjinder Arora	82194-20528	bmbhajraru@hpscb.com	BHANJRARU TEHSIL CHAMBA PIN 176316
42	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	BHARMOUR	Sh. Vinod Kumar	98165-28935	bmbharmour@hpscb.com	BHARMAUR DISTT CHAMBA PIN176015
43	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	CHAMBA	Sh. Rajinder Baglwan	94180-68157	bmchamba@hpscb.com	CHAMBA PIN176310
44	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	CHANGO	Ajay	8894356458	bmakpa@hpscb.com	GP CHANGO TEHSIL POOH DISTT KINNAUR 172111
45	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	CHHATRARI	Sh. Surender Kumar	70184-32364	bmchhattrari@hpscb.com	GP CHHATRARI DISTRICT CHAMBA 176324
46	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	CHOWARI	Sh. Vijay Kumar	85807-59439	bmchowari@hpscb.com	CHOWARI TEHSIL BHATTIYAT PIN176302
47	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	DALHOUSIE	Sh. Pawan Kumar	86280-80766	bmdalhousie@hpscb.com	DALHOUSIE PIN176304
48	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	DHARWALA	Sh. Kamlesh Kumar	86270-75114	bmdharwala@hpscb.com	DHARWALA TEHSIL AND DISTRICT CHAMBA HP PIN 176311
49	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	DULLARA	Sh. Mohd Aslam Sheikh	980584-3644	bmdhulara@hpscb.com	DHULARA PIN176027

Sl. No.	Bank Name	District	Branch Name	SPOC Name	Contact Number	Email ID	Branch Address
50	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	EC BAKLOH CANTT	Ms. Aditi Taprial	84989-81290	bmchambla@hpscb.com	EC BAKLOH CANTT BO KAKIRA PIN 176301
51	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	EC OBRI(SULTANPUR)	Sh. Sushil Kumar	82199-47746	bmchambla@hpscb.com	OBRI SULTANPUR UNDER BO CHAMBADISTT CHAMBA 176310
52	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	GAROLA	Sh. Aayush Mahajan	78076-06740	bmgarola@hpscb.com	GAROLA TEHSIL BHARMAUR PIN176309
53	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	HATLI	Sh. Harpinder Bhatia	94596-93444	bmhatli@hpscb.com	HATLI PODARMAN TEHSIL SIHUNTHA PIN176223
54	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	HOLI	Sh. Sahil Jaryal	78767-34569	bmholi@hpscb.com	HOLI DISTT CHAMBA PIN 176309
55	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	KAKIRA	Sh. Virender Kumar	88940-52830	bmkakira@hpscb.com	KAKIRA TEHSIL BHATTIYAT PIN176313
56	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	KARIAN	Sh.Rumal singh	85806-24467	bmkarian@hpscb.com	KARIAN PO BHARIAN KOTHI TEHSIL & DISTRICT CHAMBA HP 176318
57	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	KILLAR	Sh. Munish Kumar	79739-80671	bmkillar@hpscb.com	KILLAR PO KILLAR TEHSIL PANGI DISTRICT CHAMBA HP PIN 176323
58	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	NAINIKHAD	Sh. Gandhi Ram	88945-88722	bmnainkhad@hpscb.com	NAINI KHAD DISTT CHAMBA PIN 176301
59	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	RAJNAGAR	Sh. Vyom Singh	98825-01036	bmrjnagar@hpscb.com	RAJNAGAR DISTT CHAMBA 176318
60	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	SAHOO	Sh. Rajan Bhasin	98052-75497	bmsaho@hpscb.com	BRANCH OFFICE SAHOO TEHSIL & DISTRICT CHAMBA
61	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	SALOONI	Sh. Ashwani Kumar	82629-15500	bmsalooni@hpscb.com	SALOONI TEHSIL SALOONI PIN176320
62	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	SAROL	Sh. Shyam Sunder	82192-25288	bmsarol@hpscb.com	SAROL BHADRAM DISTT CHAMBA 176310
63	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	SIHUNTA	Sh. Ashutosh Upmanyu	98162-74146	bmsihunta@hpscb.com	SIHUNTA THESIL SIHUNTA PIN 176207
64	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	SUNDLA	Sh. Ajay Kumar	86269-23411	bmsundla@hpscb.com	SUNDLA TEHSIL SALOONI DISTRICT CHAMBA 176312
65	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	SURGANI	Sh. Manoj Thakur	88942-36556	bmsurgani@hpscb.com	SURANGANI TEHSIL SALOONI DISTT CHAMBA PIN176317
66	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	TISA	Sh. Vinay Sharma	85809-12081	bmtissa@hpscb.com	TISSA TEHSIL CHURAH PIN176316
67	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	CHAMBA	TUNDI	Sh. Kewal Singh	98167-71520	bmtundi@hpscb.com	TUNDI TEHSIL SIHUNTA PIN 176207
68	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	AKPA	HARI KRISHAN NEGI	9418394994	bmbhabanagar@hpscb.com	AKPA TEHSIL MOORENG PIN172116
69	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	BHABA NAGAR	Mr Surat Singh Negi	8091232209	bmbhabanagar@hpscb.com	BHABA NAGAR TEHSIL NICHAR PIN172115
70	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	EC SUBZI MOHALLA	SUBHASHNI	8219369657	hirendernegi123@gmail.com	EC SUBZI MOHALLAO RECONGPEO DISTT KINNAUR PIN 172102
71	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	GIABOUNG	Mahesh Chander	9418553450	bmgiaboung@hpscb.com	GIABONG DISTT KINNAUR PIN 172110
72	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	KALPA	AARTI NEGI	9418308762	bmkalpa@hpscb.com	KALPA TEHSIL KALPA PIN172108
73	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	KATGAON	Puran Chand Chauhan	9857144792	bmkatgaon@hpscb.com	BRANCH OFFICE KATGAON TEHSIL NICHAR DISTRICT KINNAUR 172118
74	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	LEO	Nishant Kapoor	7018916439	bmleo@hpscb.com	VPO LEO SUBTEHSIL HANGRANG AT YANGTHANG DISTT KINNAUR HP PIN 172112
75	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	MOORANG	Mr. Akshay Sumbria	86288 27497	bmmoorang@hpscb.com	BRANCH OFFICE MOORANG TEHSIL POOH DISTRICT KINNAUR 172109
76	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	NICHAR	Vipan Sharma	8281912811	bmnichar@hpscb.com	NICHAR TEHSIL NICHAR KINNAUR PIN 172103
77	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	PANGI	KAVI RAJ BISHT	9816178568	bmpangi@hpscb.com	PANGI DISTRICT KINNAUR PIN 172107
78	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	POOH	Sh. Raj Kapoor	70185 52047	bmpooh@hpscb.com	POOH PIN172111

SNo	Bank Name	District	Branch Name	SPC Name	Contact Number	Email ID	Branch Address
79	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	POWARI JHULLA	Ajender Singh	7018600063	bmpowari@hpscb.com	BRANCH OFFICE POWARI JHULLA SHANGTHONG TEHSIL KALPA
80	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	RECKONG PEO	DALJEET SINGH	8219460641	bmpeo@hpscb.com	RECKONG PEO TEHSIL KALPA PIN172107
81	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	RIBBA	Vinod Kumar	8219313824	bmribba@hpscb.com	EC RIBBABA AKPA TEHSIL MOORANG PIN 172116
82	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	SANGLA	PADAM SIDHI NEGI	70189-56800	bmsangla@hpscb.com	SANGLA DISTT KINNAUR PIN172106
83	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	SPILLOW	RAMAN KUMAR	7018328087	bmpllow@hpscb.com	SPPLLOW DISTT KINNAUR 172110
84	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	KINNAUR	TAPRI	HIRENDER NEGI	7018951746	bmtapri@hpscb.com	TAPRI TEHSIL NICHAR KINNAUR PIN 172104
85	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	AWAH DEVI	Sh. Kuldeep Singh	70187-07859	bmawahdevi@hpscb.com	BRANCH OFFICE SARAON AWAH DEVI TEHDHARAMPUR DISTT MANDI 175024
86	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BAGSIAD	PAIR CHAND	7018902688	bmbagsaid@hpscb.com	BAGSAID TEHSIL THUNAG PIN175035
87	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BAGA CHANOGI	Harsh Vardhan	8351870933	bmbagachanogi@hpscb.com	BAGA CHANOGI TEHSIL THUNAG VIA BAGSAID PIN 175026
88	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BALICHOWKI	SUNITA DEVI	8219891911	bmbalichowki@hpscb.com	BALICHOWKI TEHSIL BALICHOWKI PIN175106
89	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BAROT	Sh.Sanjeev Saklani	70180-17386	bmbarot@hpscb.com	BRANCH OFFICE BAROT TEHSIL JOGINDER NAGAR DISTRICT MANDI 175013
90	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BALDWARA	Sh. Ram Kumar	94181-51359	bmbaldwara@hpscb.com	BALDWARA TEHSIL SARKAGHAT PIN175033
91	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BHADARWAR	Sh. Vishal Saroch	82190-59510	bmbhadarwar@hpscb.com	BRANCH OFFICE BHADARWAR TEHSIL SARKAGHAT DISTT MANDI 175049
92	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BHAMBLA	Sh. Varun Dev	94597-95351	bmbhambla@hpscb.com	BHAMBLA TEHSIL SARKAGHAT PIN175004
93	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHAH KA DOHRA	Aditya Awasthi	9882267602	bmchahkadohra@hpscb.com	PO CHAH KA DOHRA TEHSIL SUNDERNAGAR MANDI 175030
94	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHAKKAR	Sh Kamal Singh	9418763925	bmchakkar@hpscb.com	VILLAGE CHAKKAR PO GUTKAR TEHSIL BALI MANDI PIN 175021
95	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BHARARI	Mr. Vasu Dev	98055-28001	bmbhararimnd@hpscb.com	GP PIPLI BHARARI TEHSIL DHARAMPUR DISTT MANDI H.P. 175014
96	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHHATRI	Pyare Lal	9816876510	bmchhatri@hpscb.com	BRANCH OFFICE CHHATRI TEHSIL CHACHYOT DISTRICT MANDI 175047
97	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHURAG	Sh.Hukam Chand	7018011360	bmchurag@hpscb.com	CHURAG TEHSIL KARSOG DISTRICT MANDI 175010.
98	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	DEHAR	Sh.Rattan Lal	9817091594	bmdehar@hpscb.com	DEHAR TEHSIL SUNDER NAGAR PIN175030
99	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BSL Colony	Chander shekhar Prasad Mishra	8800425508	bmbslcolony@hpscb.com	BSL COLONY SNRPURANA BAZAR TEHSIL SUNDER NAGAR
100	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	DHARAMPUR	Sh. Badri Dass	98570-58660	bmdharampur@hpscb.com	DHARAMPUR TEHSIL SARKAGHAT DISTRICT MANDI PIN 175040
101	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	E.S.I.C MEDICAL COLLEGE NERCHOWK (EC)	KAMAL KANT	9816465605	bmnerchowk@hpscb.com	MED. COLLEGE NERCHOWK NERCHOWKPO BHANGROTU TEHSIL BALI MANDI PIN175021
102	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	EC BIR ROAD AHJU	Sh. Sunil Dutt Sharma	70181-66539	bmbirroadahju@hpscb.com	EC BIR ROAD AHJU UNDER BO CHAUNTRA TEHSIL JOGINDER NAGAR DISTT 175032
103	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	EC CHAMBI	Narinder Singh	98168 76816	bmsundernagar@hpscb.com	EC CHAMBI BO SUNDERNAGAR DISTT MANDI PIN 175004

SN	Bank Name	District	Branch Name	SPOT Name	Contact Number	Email ID	Branch Address
104	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	EC KEOLIDHAR	Pratul Thakur	7018062860	bmchailchowk@hpscb.com	EC KEOLIDHAR BAGSAID TEHSIL GOHAR DISTT MANDI,
105	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	EC KHANOT	Sh. Kishore Kumar	70181-90044	bmkhano@hpscb.com	EC KHANOT BO BALDWARATEHSIL SARKAGHAT PIN 175033
106	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	EC MAMAIL	MONIKA VERMA	8219824002	bmkarso@hpscb.com	EC MAMAILBO KARSOG PIN 171304
107	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	BUS STAND JOGINDER NAGAR	Sh. Ramesh Kumar	70181-65060	bmjnagarbustand@hpscb.com	JOGINDER NAGAR BUS STAND PIN176120
108	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	EC NANAWAN	VIJAY KUMAR	7018954763	bmdehar@hpscb.com	EC NANAWAN UNDER BO DEHAR DISTT MANDI 174013
109	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	GOHAR	Smt.Neetika Bhardwaj	7018515170	bmgohar@hpscb.com	GOHAR TEHSIL CHACHYOT PIN175029
110	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	GOVT. J.N. ENGINEERING COLLEGE SUNDER NAGAR	Yash Pal Singh	8350914844	bmsundernagar@hpscb.com	GOVT. J.N ENGG. COLLEGE S/NAGAR BO SUNDER NAGARPO CHATROKHRI TEHSIL S/NAGAR MANDI PIN 175018
111	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	JANJEHLI	Narayan Singh	9816656522	bmtimbi@hpscb.com	JANJEHLI MANDI PIN 175047
112	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	JOGINDER NAGAR	Sh. Hans Raj	94180-47400	bmjogindernagar@hpscb.com	JOGINDER NAGAR PIN 175015
113	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	KARSOG	Chamel Singh	9459978696	bmkarso@hpscb.com	KARSOG MANDI PIN 175011
114	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	KHADDAR	Sh. Anil Jaswal	98170-87462	bmkhaddar@gmail.com	VPO KHADDAR TEHSIL LABDHAROL MANDI PIN175016
115	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	KOTLI	Sh. Yashwinder Pal Singh	94187-31786	bmkotli@hpscb.com	BRANCH OFFICEKOTLI TEHKOTLI DISTT.MANDI 175003
116	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	KUNNU	Sh. Nittan Chand	94187-59447	bmkunnu@hpscb.com	KUNNU TEHSIL PADHAR PIN176121
117	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	LADBADHOL	Sh. Anil Kumar	70185-19921	bmladbhol@hpscb.com	BRANCH OFFICELADBHAROL TEHLADBHAROL DISTT;MANDI 175016
118	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	LONGNI	Sh. Vinayak Kumar	78338-43088	bmlongani@hpscb.com	LONGNI TEHSIL SARKAGHAT DISTT. MANDI PIN175025
119	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	MAKRERI	Sh. Vikesh Pathania	8219135807	bmmakreri@hpscb.com	BRANCH OFFICEMAKRERI TEHDRANG DISTTMANDI 175015
120	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	MANDAP	Mr. Dinesh Kumar	70188-91087	bmmandap@hpscb.com	GP TAUR JAJR BLOCK DHARAMPUR DISTT MANDI 175029
121	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	MANDI	Ms. Upma Handa	82198-25335	bmmandi@hpscb.com	BRANCH OFFICEMANDI TEHMANDI DISTTMANDI 175001
122	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	MARHI	Sh.Jog Chand	94189-79056	bmmarhi@hpscb.com	MARHI TEHSIL SARKAGHAT PIN175050
123	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	NABAHI DEVI	Sh. Maneesh Kumar	70185-26854	bmnaubaidevi@hpscb.com	NABAHI DEVI TEHSIL SARAGHAT PIN 175024
124	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	NAGWAIN	Smt. Urvashi	98163-11771	bmnagwain@hpscb.com	BRANCH OFFICENAGWAIN TEHAUT DISTTMANDI 175121
125	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	NERCHOWK	Virender Sharma	9816600816	bmnerchowk@hpscb.com	NERCHOWK TEHSIL SADAR PIN175008
126	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	NIHRI	Jitender Kumar	9736119643	bmnihri@hpscb.com	GP NIHRI TEHSIL NIHRI DISTT MANDI 175038
127	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	PADHAR	Sh. Ajay Jaswal	94183-50420	bmpadhar@hpscb.com	PADHAR DISTT MANDI PIN 175012
128	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	PANDOH	Sh. Devinder Rathore	98573-43752	bmpandoh@hpscb.com	PANDOH TEHSIL AND DISTT MANDI PIN175124
129	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	RAJGARH MANDI	Shubham	8988227009	bmrajgerhmnd@hpscb.com	RAJGARH DISTT MANDI PIN 175027
130	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	RAKOH	Mr. Atul Kumar	70183-06926	bmrankoh@gmail.com	VPO RAKHOH TEHSIL SARKAGHAT MANDI PIN 175042
131	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	REWALSAR	Jagdev Kumar	8219846101	bmrewalsar@hpscb.com	REWALSAR TEHSIL AND DISTT MANDI PIN 175023
132	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SAJAO PIPLU	Sh. Sanjay Kumar	98051-71085	bmsajaopi@hpscb.com	SAJAOPIPLU TEHSIL SARKAGHAT PIN 175025

SN	Bank Name	District	Branch Name	SPOC Name	Contact Number	Email ID	Branch Address
133	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SANDHOL	Sh. Sunil Kumar	94183-96311	bmsandhole@hpscb.com	SANDHOLE EHSIL SANDHOL DISTT MANDI PIN176090
134	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SARKAGHAT	Sh. Rajinder Shyma	70185-63066	bmsarkaghat@hpscb.Com	SARKAGHAT TEHSIL SARKAGHAT DISTT MANDI PIN 175024
135	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SAULIKHAD	Smt. Dhanushri	9418977656	bmsaulikhad@hpscb.com	SAULIKHAD TEHSIL SADAR DISTT MANDI PIN175001
136	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SERI-BANGLOW	Hem Lata	7018577505	bmseribanglow@hpscb.com	SERI BANGLOW TEHSIL KARSOG MANDI PIN175011
137	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SIANJ	Vinit Kumar	9805463001	bmsianj@hpscb.com	GP SIANJ TEHSIL CHACHYOT DISTRICT MANDI 175029
138	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SMAILA	Ms. Ritika Ranaut	88948-85383	bmsmaila@hpscb.com	SMAILA TEHSIL SARAGHAT PIN175034
139	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	SUNDER NAGAR	Kanchan Kumari	8894573464	bmsundernagar@hpscb.com	SUNDER NAGAR TEHSIL SUNDER NAGAR DISTT MANDI PIN 174401
140	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	TAKOLI	Smt. Uma Bodh	82788-11606	bmtakoli@hpscb.com	TAKOLI DISTT MANDI PIN 175025
141	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	THUNAG	Naresh Kumar	8679114107	bmthunag@hpscb.com	THUNAG PO & TEHSIL THUNAG PIN175048
142	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	TIHRA	Sh Rajesh Parmar	82199-90129	bmtihra@hpscb.com	TIHRA TEHSIL SARKAGHAT PIN175026
143	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHAIL CHOWK	Dharm Paul	70183-05736	bmtimbi@hpscb.com	CHAIL CHOWK TEHSIL CHACIOT PIN175045
144	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHANDESH	Sh. Kuldeep Kumar	94186-92247	bmchandesh@hpscb.com	CHANDESH PO GAHAR TEHSIL SARKAGHAT PIN175049
145	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHATROKHR!	Suman Bharti	7018661688	bmchatriokhri@hpscb.com	CHATROKHR! TEHSIL SUNDER NAGAR DISTT MANDI PIN174402
146	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	CHAUNTRA	Ms Minakshi	78768-08688	bmchanutra@hpscb.org	JOGINDER NAGAR DISTRICT MANDI PIN 175032
147	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	BACHHUNCH CHAPOTI	RAJESH JASWAL	9418281088	bmbachhunch@hpscb.com	BRANCH OFFICE BACHHUNCH CHAPOTI DISTRICT SHIMLA 171207
148	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	BATAR GALU	RAKESH THAKUR	7018248852	bmbatargalu@hpscb.com	BRANCH OFFICE BATAR GALU TEHSIL JUBBAL DISTRICT SHIMLA 171206
149	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	BHARANOO	HEM CHAND	7018116272	bmbharanu@hpscb.com	BRANCH OFFICE BHARANOO TEHSIL CHOPAL DISTRICT SHIMLA 171210
150	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	BUS STAND SHIMLA	Susheel Verma	7807477992	bmbusstandshimla@hpscb.com	BO ISBT SHIMLA PIN 171001
151	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	CHIRGAON	BRIJ LAL	9418572142	bmchirgoan@hpscb.com	CHIRGAON DISTRICT SHIMLA PIN 171208
152	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	CHAMAIN	SUNITA KUMARI	9816077187	bmchamain@hpscb.com	BRANCH OFFICE CHAMAIN TEHSIL KOTKHAJ DISTRICT SHIMLA 171225
153	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	CHIHOTA SHIMLA	Seema Pal	98160-23601	bmchhotashimla@hpscb.com	CHHOTA SHIMLA LAXMI NIWAS DISTT SHIMLA 171002
154	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	CHOPAL	ANSHUL CHAUHAN	7018701248	bmchopal@hpscb.com	CHOPAL DISTT SHIMLA 171211
155	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DALAN	Sanjay Sharma	8219716288	bmdalan@hpscb.com	DALAN PO VIRGARH TEHSIL KUMARSAIN DISTT SHIMLA PIN172030
156	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DEHA	Updesh	9816170077	bmdeha@hpscb.com	BO DEHA DISTT SHIMLA PIN 171201
157	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DEOLI	BALWANT SINGH	7018294807	bmdeoli@hpscb.com	BRANCH OFFICE DEOLI TEHSIL ROHRU DISTRICT SHIMLA 171203
158	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DEORI KHANETI	AYUSH MOGHTA	7018334204	bmdeorikhaneti@hpscb.com	BRANCH OFFICE DEORI KHANETI TEHSIL KOTKHAJ DISTRICT SHIMLA 171204
159	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DHALI	Anil Chauhan	7018154916	bmddhalli@hpscb.com	DHALI DISTT SHIMLA PIN 171012
160	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DHAMANDARI	Sandeep Sharma	8580611322	bmdhamandari@hpscb.com	GP DHAMANDARI TEHSIL THEOG DISTT SHIMLA H.P. 171209

SN	Branch Name	District	Branch Name	SPOC Name	Contact Number	Email ID	Branch Address
161	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DHAMI AT 16 MILES	Pramod	9882284822	bmthachi@hpscb.com	GP GHANDAL TEHSIL DHAMI DISTT SHIMLA 171103
162	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	DHANOTU	Naveen Kumar Sharma	7018501155	bmdhanotu@hpscb.com	DHANOTU TEHSIL SUNDER NAGAR PIN 171401
163	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	EC KUDDU	Mr.Sudesh Sharma	9805772101	bmkuddu@hpscb.com	E.C. KUDU BRANCH SARASWATI TEHSIL JUBBAL DISTRICT SHIMLA 171206
164	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	EC MATIANA	Dheeraj Kumar	9805120873	bmmatiana@hpscb.com	E.C. MATIANA BO SHILAROO TEHSIL THEOG DISTRICT SHIMLA 171212
165	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	EC NEW SHIMLA	Kiran Shyam	9459961555	bmnewsml@hpscb.com	NEW SHIMLA BO KHALINIDISTT SHIMLA 171009
166	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	EC SEEMA	RUCHIKA CHAUHAN	8219313833	bmseema@hpscb.com	SEEMABO ROHRU TEHSIL ROHRU DISTT SHIMLA 171207
167	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	FAGU	Glan Singh	9418626681	bmfagu@gmail.com	VPO FAGU TEHSIL THEOG DISTT SHIMLA HP 171209
168	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	DODRA KWAR	YOGINDER RAWAT	7833858888	negisobat61@gmail.com	DODRA KWAR DISTT SHIMLA PIN 171221
169	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	GHANAHATTI	Lekh Ram Sharma	9418080608	bmghanahatti@hpscb.com	GANAHATTI DISTT SHIMLA PIN 171011
170	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	H.P. SECRETARIAT SHIMLA	Anil Sharma	9418109560	bmsectt@hpscb.com	SECRETARIAT BRANCH ARMS DALE BLDG SIMLA SECRETARIAE 171002
171	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JALOG	G.R Verma	9817195625	bmjalog@hpscb.com	VPO JALOG TEHSIL SUNI DISTRICT SHIMLA 171019
172	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JANEDGHAT	Sh. Abhinay Sharma	98051-41729	bmjanedghat@hpscb.com	GP JANEDGHAT TEHSIL JUNGA NEAR KOTI CHAIL DISTRICT SHIMLA 173217
173	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JANGLA	RAJESH KHURANA	9857199909	bmjangla@hpscb.com	JANGLA TEHSIL ROHRU PIN 171214
174	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JAROL	Lalit Khadaik	7018924308	bmjarol@hpscb.com	GP JAROL PARALI TEHSIL KUMARSAIN SHIMLA 172031
175	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JATHIA DEVI	MS. Nisha Kumari	70184-22751	bmjathiadevi@hpscb.org	VPO JATHIA DEVI TEHSIL & DISTRICT SHIMLA171011
176	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JEORI	Satish Kumar	7018516400	bmjeori@hpscb.com	JEORI TEHSIL RAMPUR PIN 172101
177	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JHAKHRI	Chet Ram Chauhan	8628806027	bmjhakri@hpscb.com	JHAKRI TEHSIL RAMPUR PIN172201
178	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JHARAG/ NAKRARI	VIKAS CHAUHAN	9459065229	bmjharg@hpscb.com	PO JHARAG TEHSIL JUBBAL DISTT SHIMLA H.P. 171206
179	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JIKHNIPIUL	NATIN CHAUHAN	8544756446	bmjhiknipul@hpscb.com	BRANCH OFFICE JHIKNIPUL TEHSIL CHOPAL DISTRICT SHIMLA 171211
180	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JUBBAL	KAILASH BHIMTA	9015071600	bmjubbal@hpscb.com	JUBBAL TEHSIL JUBBAL DISTT SHIMLA PIN 171205
181	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	JUNGA	Vishal	8278736577	bmjunga@hpscb.com	BRANCH OFFICE JUNGA SUBTEHSIL JUNGA DISTRICT SHIMLA 171218
182	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KASUMPTI	Ajeet Verma	9418588830	bmkasumpti@hpscb.com	BRANCH OFFICE KASUMPTI SDA COMMERCIAL COMPLEX KASUMPTI DISTRICT SHIMLA 171009
183	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KHADAHAN	Ankit Verma	70184-49090	bmkhahan@hpscb.com	BRANCH OFFICE KHADAHAN TEHSIL NANKHARI DISTRICT SHIMLA 171213
184	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KHALINI	Vidya Dev Sharma	9816174534	bmkhalini@hpscb.com	KHALINI SHIMLA PIN 171002
185	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KHALTUNALA	AMIT CHAUHAN	941899003	bmkhaltunala@hpscb.com	KHALTUNALA TEHSIL KOTKHAJ PIN 171202
186	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KHANETI SANDOCH	Rajesh Kumar	9857167813	bmkhaneatisadoc@hpscb.com	KHANETI SADOCH PO BATARI TEHSIL KUMARSAIN PIN 172031
187	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KHARAPATHAR	KAPIL KASHAYAP	7018933518	bmkharapathar@hpscb.com	KHARA PATHAR TEHSIL JUBBAL PIN 171205

Sl. No.	Bank Name	District	Branch Name	SPDC Name	Contact Number	Email ID	Branch Address
188	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KHATNOL	Manish Kumar	97367-03137	bmkhhatnol@hpscb.com	GP KHATNOL TEHSIL SUNI DISTT SHIMLA H.P. 171007
189	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KHOLIGHAT	Rohit Chai	86792-37100	bmkholighat@hpscb.com	BRANCH OFFICE KHOLIGHAT TEHSIL NANKHARI DISTRICT SHIMLA 171213
190	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KIARI	RAJESH SHARMA	9418451865	bmkiari@hpscb.com	KIARI TEHSIL KOTKHAJ PIN 171204
191	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KOTI	Charanjeet	70188-88534	bmkoti@hpscb.com	KOTI TEHSIL JUNGA PIN 171012
192	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KOTKHAJ	LALIT MOHAN	9418155682	bmkotkhaj@hpscb.com	KOTKHAJ TEHSIL KOTKHAJ DISTT SHIMLA PIN 171202
193	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	EC KAMILA NAGAR	Ishwar Chauhan	9816079957	dhaulta.rajeev@gmail.com	KAMILA NAGARDHALLI PO MALLYANA 171012
194	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KUMARSAIN	Virender Singh	7018792033	bmkumarsain@hpscb.com	BRANCH OFFICE KUMARSAIN TEHSIL KUMARSAIN DISTRICT SHIMLA 172029
195	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	KUPVI	KEWAL RAM	9418189795	bmkupvi@hpscb.com	KUPVI TEHSIL KUPVI DISTT SHIMLA 171217
196	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	MANDAL	RANVIR KALTA	8278700298	bmmandal@hpscb.com	BRANCH OFFICE MANDAL TEHSIL JUBBAL DISTRICT SHIMLA 171216
197	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	MARAOG	LOKINDER	9816255276	bmmaraog@hpscb.com	MARAOG TEHSIL CHOPAL PIN 171211
198	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	MASHOBRA	Pikesh	7580003132	bmmashobra@hpscb.com	VILLAGE MASHOBRA2 PO MASHOBRA TEHSIL & DISTT SHIMLA HP PIN 171007
199	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	MEHANDLI	ASHISH SHARMA	9521719844	bmmehandli@hpscb.com	GP UKHALI MEHANDLI TEHSIL ROHRU DISTT SHIMLA H.P. 171207
200	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	NANKHARI	Kuldeep Kumar	8219674715	bmnankhari@hpscb.com	NANKHARI TEHSIL NANKHARI DISTT SHIMLA PIN 172021
201	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	NARAIN	DINESH KUMAR	7018461523	bmnarain@hpscb.org	NARAIN TEHSIL RAMPUR DISTRICT SHIMLA HP PIN 172022
202	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	NARKANDA	Vikas Shyam	9418801627	bmnarkanda@hpscb.com	NARKANDA TEHSIL KUMARSAIN PIN 171213
203	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	NERWA	PRADEEP SINGH	7807017406	bmnnerwa@hpscb.com	NERWA TEHSIL CHOPAL PIN 171210
204	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	NOGLI	Darshan Dass	70188-47763	bmnogli@hpscb.com	NOGLI TEHSIL RAMPUR BUSHAHAR PIN 172022
205	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	MANDI	PANGNA	RAMESH CHAND	8628033403	bmpragatinagar@hpscb.com	GP PANGNA SUB TEHSIL PANGNA DISTT MANDI 175046
206	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	PARALA	Vinod Sharma	8627069209	bmparala@hpscb.com	GP SAINJ TEHSIL THEOG DISTT SHIMLA H.P. 171220
207	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	PRAGATI NAGAR	INDER JUSTA	9805267733	bmpragatinagar@hpscb.com	PRAGATI NAGAR TEHSIL KOTKHAJ PIN 171202
208	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	PREM NAGAR	Sanjeet Kumar	9817059358	bmpremnagar@hpscb.com	BRANCH OFFICE PREM NAGAR TEHSIL KUMARSAIN DISTRICT SHIMLA 172029
209	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	RAMPUR	Naveen Dolta	8580768131	bmrampur@hpscb.com	BRANCH OFFICE RAMPUR MAIN BAZAR RAMPUR BUSHAHAR DISTRICT SHIMLA 172001
210	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	RAMPUR BUSTAND	Sneh Lata	9816637172	bmratnari@hpscb.com	RAMPUR BUSSTAND CHUHABAG PO KHANERI RAMPUR BUSHAHAR SHIMLA 172001
211	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	RATNARI	SANJEEV KUMAR	9459135018	bmratnari@hpscb.com	BRANCH OFFICE RATNARI TEHSIL KOTKHAJ DISTRICT SHIMLA 171225
212	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	ROHRU	CHANDER PRAKASH	9805134811	bmrohru@hpscb.com	ROHRU DISTRICT SHIMLA PIN 171207
213	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SANJAULI	Anjula Ranta	9418504400	bmsanjauli@hpscb.com	BRANCH OFFICE SANJAULI NEAR SANJAULI CHOWK DISTRICT SHIMLA 171006

SN	Bank Name	District	Branch Name	SPDC Name	Contact Number	Email ID	Branch Address
214	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SARAHAN-BUSHAHR	Sandeep Khimta	86288-54246	bmsarahanbsr@hpscb.com	BRANCH OFFICE SARAHAN BUSHAHR TEHSIL RAMPUR DISTRICT SHIMLA 172102
215	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SARASWATI NAGAR	PRADEEP SHARMA	9816048180	bmsaraswatinagar@hpscb.com	BRANCH OFFICE SARASWATI NAGAR DISTRICT SHIMLA 171206
216	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SHARONTHA	LAVLESH KUMAR	7018355988	bmsharontha@hpscb.com	SHARONTHA TEHSIL TIKKAR DISTT SHIMLA PIN 171203
217	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SHILAROO	Ashok Sharma	9817082455	bmshilaroo@hpscb.com	BRANCH OFFICE SHILAROO TEHSIL THEOG DISTRICT SHIMLA 171213
218	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SHIMLA MAIN BRANCH	Pushpa Sharma	94180-25630	shimla_438@hpscb.com	SHIMLA MALL ROAD BRANCH THE MALL SHIMLA 171001
219	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SHIWAN	Sandeep	9418119028	bmshiwani@hpscb.com	BRANCH OFFICE SHIWAN TEHSIL KUMARSAIN DISTRICT SHIMLA 172027
220	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SHOGHI	Arun Kumar	9805371112	bmshoghi@hpscb.com	SHOGHI TEHSIL SHIMLA PIN 171219
221	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SUMMER KOT	ASHOK SHARMA	9418550179	bmsummerkot@hpscb.com	GP SUMMER KOT TEHSIL ROHRU DISTT SHIMLA H.P.171224
222	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SUMMER HILL	Pawan Kumar	9418072836	bmsummerhill@hpscb.com	SUMMER HILL DISTT SHIMLA 171005
223	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	SUNI	SOHAN LAL	9418063397	bmsuni@hpscb.com	SUNI DISTRICT SHIMLA PIN 171301
224	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	TAKLECH	Hemant Gupta	70184-16388	bmtaklech@hpscb.com	BO TAKLECH TEHSIL RAMPUR PIN 172022
225	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	THANEDHAR	Rajinder Chauhan	9816310138	vinod870@hpscb.org	THANEDHAR TEHSIL KUMARSAIN PIN 172030
226	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	THEOG	L.C. KAINTHLA	9418966529	bmtheog@hpscb.com	BRANCH OFFICE THEOG TEHSIL THEOG DISTRICT SHIMLA 171201
227	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	TIKKAR	TRANSFER	8679200001	bmtikkar@hpscb.com	BRANCH OFFICE TIKKAR TEHSIL ROHRU DISTRICT SHIMLA 171203
228	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	TOTU	Naveen Kashyap	8262846794	bmtotu@hpscb.com	BRANCH OFFICE TOTU TEHSIL SHIMLA DISTRICT SHIMLA 171011
229	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SHIMLA	UPPER KAITHU	Dheersaj Verma	94185-28064	bmkaitthu@hpscb.com	PO AG SHIMLA 171003
230	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	BADRI NAGAR	Sh Punia Ram Chauhan	9882244440	bmbadrinagar@hpscb.com	BO BADRI NAGAR DISTT SIRMOUR PIN E.C. KOLAR DHAULA KUAN DISTRICT SIRMOUR 173025
231	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	EC KOLAR	Sh Tushar Chauhan	8219360044	bmkolar@hpscb.com	EC SHARGAON BO YASHWANT NAGAR TEHSIL RAJGARH PIN 173223
232	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	DADAHU	Sh Khem Raj	9805751243	bmdadahu@hpscb.com	DADAHU DISTT SIRMOUR PIN 173022
233	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	EC SHARGAON	Sh Prem Singh	9816850223	bmshargaon@hpscb.com	EC SHARGAON BO YASHWANT NAGAR TEHSIL RAJGARH PIN 173223
234	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	DHAULA KUAN	Sh Roshan Lal	9816030988	bmdhaulakuan@hpscb.com	DHAULA KUAN DISTT SIRMOUR PIN 173020
235	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	D.C. OFFICE NAHAN	Sh Gagan Sharma	7018410600	bmdcofficenahan@hpscb.com	BRANCH OFFICE D.C. OFFICE NAHAN TEHNAHAN DISTT SIRMOUR 173001
236	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	GATADHAR	Sh Sandeep Aggarwal	7018766101	bmgattadhar@hpscb.com	BRANCH OFFICE GATADHAR TEHSIL SANGRAH DISTRICT SIRMOUR 173023
237	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	HALLAN	Ms. Kavita Sharma	9805649819	bmhallan@hpscb.com	GP HALLAN VPO HALLAN SUBTEHSIL RONHAT 173027
238	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	HARIPUR DHAR	Sh. Shubham Pundir	8544744436	bmharipurdhar@hpscb.com	GP DEORI KHARAHAN TEHSIL SANGRAH HARIPUR DHAR DISTT SIRMOUR 173023
239	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	KHERI	Ms Praveen Narwal	9816161818	bmkheri@hpscb.com	BRANCH OFFICE KHERI TEHSIL RAJGARH DISTRICT SIRMOUR 173101
240	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	HABBAN	Sh Haminder Thakur	7018431300	bmhabban@hpscb.com	BRANCH OFFICE HABBAN TEHNOHRADHAR DISTT SIRMOUR 173101

Sl. No.	Bank Name	District	Branch Name	SPOL Name	Contact Number	Email ID	Branch Address
241	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	JAMTA	Sh Surender Singh	9418263986	bmjamta@hpscb.com	BRANCH OFFICE JAMTA TEHSIL NAHAN DISTRICT SIRMOUR 173001
242	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	KAFOTA	Sh Ravinder Thakur	9816940257	bmkaffota@hpscb.com	BRANCH OFFICE KAFOTA TEHSIL KAMRAU DISTRICT SIRMOUR 173029
243	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	KALA AMB	Sh. Shekhar Singh Shidhu	7018064400	bmkalaamb@hpscb.com	BRANCH OFFICE KALA AMB TEHNAHAN DISTTSIRMOUR 173020
244	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	KAMRAU	Sh Shivam	8219536003	bmkamrau@hpscb.com	KAMRAU TEHPAONTA SAHIB DISTTSIRMOUR 173029
245	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	KUTCHA TANK	Sh Lajinder Tomar	9318701248	bmkatchatank@hpscb.com	BRANCH OFFICE KUTCHA TANK TEHNAHAN DISTTSIRMOUR 173001
246	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	LANA CHETA	Sh. Dinesh Kumar	7807579415	bmlanacheta@hpscb.com	LANACHETA TEHNOHRADHAR DISTTSIRMOUR 173104
247	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	MAJRA	Smt Babli Verma	9418027907	bmmajra@hpscb.com	BRANCH OFFICE MAJRA TEHPAONTA SAHIB DISTTSIRMAUR 173021
248	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	NAHAN	Sh. Yogesh Gupta	9805874997	bmnahan@hpscb.com	CHOGAN ROAD NAHAN TEH.NAHAN 173001
249	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	NAINIDHAR	Sh Dharam Singh	9816027300	bmnainidhar@hpscb.com	BRANCH OFFICE NAINIDHAR TEHSIL SHILLAI DISTRICT SIRMOUR 173027
250	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	NARAG	Sh. Sanjeev Gautam	9805746251	bmnarag@hpscb.com	NARAG TEH.RAJGARH DISTT.SIRMOUR 173024
251	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	NOHRADHAR	Sh. Umed Singh Kanwar	9857002343	bmnohradhar@hpscb.com	NOHRADHAR TEHNOHRADHAR DISTTSIRMAUR 173104
252	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	PAONTA SAHIB	Smt. Sangeeta	8851832453	bmpaontasahib@hpscb.com	PAONTA SAHIB TEHPAONTA SAHIB DISTTSIRMAUR 173025
253	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	RAJGARH	Smt. Poonam Thakur	8219655959	bmrajgarh@hpscb.com	RAJGARH TEHRAJGARH DISTTSIRMAUR 173101
254	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	RONHAT	Sh. Vishal Arya	9459917855	bmronhat@hpscb.com	BRANCH OFFICE RONHAT TEHSIL SHILLAI DISTRICT SIRMOUR 173027
255	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	SALWALA-PURUWALA	Sh Deepak Chauhan	9418285455	bmspuruwala@hpscb.com	SALWALA PURUWALA TEHPAONTA SAHIB DISTTSIRMOUR 173025
256	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	SANGRAH	Ms. Nisha Devi	9816403634	bmsangrah@hpscb.com	SANGRAH TEHRENUKA DISTTSIRMOUR 173023
257	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	SARAHAN	Sh Arun Kumar	9418036782	brmsarahan@hpscb.com	SRAHAN TEHPACHCHAD DISTTSIRMOUR 173024
258	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	SATAUN	Sh Mam Chand	9805079699	bmsataun@hpscb.com	SATAUN TEHKAMRAU DISTTSIRMAUR 173029
259	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	SHILLAI	Sh. Dev Raj Sharma	7018966197	bmshillai@hpscb.com	SHILLAI TEHSHILLAI DISTTSIRMAUR 173027
260	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	TRILOKPUR	Sh Vishal Tomar	8219261056	bmtrilokpur@hpscb.com	BRANCH OFFICE TRILOKPUR TEHNAHAN DISTTSIRMOUR 173030
261	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	TIMBI	Sh. Paras Sharma	7018176605	bmhallan@hpscb.com	GP ASHYARI TEHSIL SHILLAI DISTT. SIRMOUR 173029
262	THE HIMACHAL PRADESH STATE CO-OPERATIVE BANK LTD.	SIRMOUR	YASHWANT NAGAR	Sh Shitanshu Verma	9418117355	bmyashwantnagar@hpscb.com	BRANCH OFFICE YASHWANT NAGAR TEHRAJGARH DISTT.SIRMOUR 173212