

**HIMACHAL PRADESH
STATE ELECTRONICS
DEVELOPMENT
CORPORATION
LIMITED**



**1st & Ground Floor, I.T.
Bhawan, Mehli, Shimla -171 013
Tel. No. 0177-2623259,
2623513, 2626320, 2623513, 2623043,
FAX:0177-2626320
Website: www.hpsedc.in**

**File No. SEDC/CompHW-HPSCB/2K25- 7690
e-Office File No. 277597
Date: 02/01/2026**

**Corrigendum-III
(Tender No. SEDC/CompHW-HPSCB/2K25- 7690)**

HPSEDC published e-tender for Selection of System Integrator for supply & maintenance of Computer Hardware, printers, UPS and other items for HP State Cooperative Bank bearing tender No: SEDC/CompHW-HPSCB/2K25- 7690.

Based on the representations received from the bidders, the following changes/ modifications/ clarifications/ specifications in the tender Section(s)/ Clause(s) are incorporated in the tender document by issuing of Corrigendum.

The detailed response to the received representations is attached as **Annexure A**.

It is also informed that **Item No. 5: Dot Matrix Printer would not be procured through this bid**. Hence, Item No. 5 Dot Matrix Printer may kindly be ignored in the financial bid.

Last date for bid submission shall remain same i.e 08/01/2026 till 2:30 PM and same will be opened on 09/01/2026 at 2.30 PM.


**Data Controller,
HPSEDC**

S.No	Page No	Section of the RFP	Point of Clarification required as per RFP / Corrigendum	Clarification / Revised Clause may be read as
1		Past Experience Clause	Revised Clause: The bidder should have prior experience in providing IT Related equipments of 3 Cr in Banks during the last 3 years.	Revised Clause: The bidder should have prior experience in providing IT Related equipments of 3 Cr during the last 3 years to Bank/ PSU/ Govt. Department. It is further clarified that bidder must have supplied IT equipment of some value out of 3cr to atleast one bank.
2	45	AIO	Memory - 16 GB RAM Expandable upto 32 GB DDR5	Revised clause: Memory - 16 GB RAM Expandable upto 64 GB DDR5
3	45	AIO	Ports 2x USB A 2.0, 2x USB 3.2 Gen 2 HDMI port OR 3x USB 3.2 Gen I Type A 1x USB 3.2 Gen 2 Type-A 1x USB 3.2 Gen1 Type C 1x USB 3.2 Gen 2 Type-C 1 x HDMI, 2 x DP	Revised clause: Minimum 2 × USB 3.2 Gen 1 ports, 2 × USB 2.0 ports, and 1 HDMI Port/DP Port (Bidder to ensure the functionality of HDMI is there).
4	45	AIO	Wi-Fi	As per RFP
5	45	AIO	720p camera, with single digital microphone, LED indicator, with privacy Feature"	Revised clause: FHD camera with microphone
6	45	AIO	TPM 2.0	As per RFP
7	46	Multi-Function Printer	RAM >= 512 MB	Revised clause: Minimum RAM: >= 64 MB
8	46	Multi-Function Printer	Cartridge Type	As per RFP

S.No	Page No	Section of the RFP	Point of Clarification required as per RFP / Corrigendum	Clarification / Revised Clause may be read as
9	47	Passbook printer, Interface Options	1. USB is required. 2. Second Serial Port is also required.	Revised clause: 1. USB is mandatory. 2. Second Serial Port is optional.
10	47	Paasbook printer, Consumables	5 Million Characters or More	Revised clause: 3.5 Million Characters or More
11	49-70	KVA/KW ONLY 6 KVA, 10 KVA & 20 KVA ARE MENTIONES AS KVA =KW WHILE 1,2 3 KVA POWER FACTOR ASKED FOR 0.8	KINDLY HAVE SAME FOR ALL RATING OF UPS EITHER WAY	Revised clause: 0.9 PF for 1/2/3kva UPS and Unity PF for 6kva & onwards
12	49-70	Input Power Factor : >0.99 (Ful load)	Complied with Input PF: 0.99 @ Full load	Revised clause: 0.9 PF for 1/2/3kva UPS and Unity PF for 6kva & onwards
13	49-70	Battery bank voltage: 192-264VDC	Battery bank voltage: 360 - 600 VDC	Revised clause: 192-264 VDC for single phase ups
14	49-70	Battery Bank Voltage-192 VDC -264 VDC	192 VDC- 240 VDC	Revised clause: 192-264 VDC for single phase ups

S.No	Page No	Section of the RFP	Point of Clarification required as per RFP / Corrigendum	Clarification / Revised Clause may be read as
15	49-70	No. of UPS to be supplied- 1000 Nos.3000 Nos. UPS supplied in HIMACHAL PRADESH	No. of UPS supplied in HIMACHAL PRADESH should be ammended as All Over india	<p>Revised clause:</p> <p>Bidder/OEM should have supplied in India in last two years:</p> <p>Minimum single order of 1000nos of Online UPS</p> <p>OR</p> <p>Total minimum 3000nos Online UPS</p>
16			As per Published Corrigendum : (Revised Clause) The bidder should have prior experience in providing IT-related equipment of ₹3 crore in banks during the period of last three years i.e. 1st April 2022 to 31st March 2025 and the current financial year i.e. from 1st April 2025 till the last date fixed for submission of Bid. Document: Relevant purchase orders copy	<p>Revised Clause:</p> <p>The bidder should have prior experience in providing IT Related equipments of 3 Cr during the last 3 years to Bank/ PSU/ Govt. Department. It is further clarified that bidder must have supplied IT equipment of some value out of 3cr to atleast one bank.</p>
17		Item - 10 KVA UPS	<p>As per Corrigendum:</p> <p>Point 42 - Revised Specification: 305-478 V @ Fullload for 3 phase input & 176-286 V @ full load for 1 phase input</p> <p>Point 153 - Revised Specification: Nominal Voltage Range - 120 - 280</p>	<p>Revised clause:</p> <p>Nominal Voltage Range: 200/208 (de-rating to 90%) : 100VAC~280 VAC 220/230/240 : 100Vac~280 VAC</p> <p>and</p> <p>Nominal Output voltage: 220/230/240 VAC</p>

S.No	Page No	Section of the RFP	Point of Clarification required as per RFP / Corrigendum	Clarification / Revised Clause may be read as
18		Item - 10 KVA UPS, 6 KVA UPS, 20 KVA UPS	<p>As per Corrigendum:</p> <p>Point 43: Revised Specification: (for all UPS) - Power Factor: 1.0 Unity</p> <p>Point 58: Revised Specification: (for all UPS) - Power Factor: 1.0 Unity</p> <p>Point 148: Revised Specification: (for all UPS) - Power Factor: 1.0 Unity</p> <p>Point 155: Revised Specification: (for all UPS) - Power Factor: 1.0 Unity</p> <p>Point 171: Revised Specification: (for all UPS) - Power Factor: 1.0 Unity</p>	<p>Revised clause:</p> <p>0.9 PF for 1/2/3kva UPS and Unity PF for 6kva & onwards</p>
19		Item No 4 - Flat Bed Scanner	<p>As per Corrigendum:</p> <p>Point 102: Revised clause: Scanner Buttons (EZ Buttons) - 4 buttons (PDF, AUTOSCAN, COPY, SEND) OR 4 push buttons (PDF, Send, Copy, Start) OR Similar Features</p> <p>Point 188: Revised Specification: Scanner Buttons (EZ buttons)-4 buttons (PDF, AUTOSCAN, COPY, SEND) OR 5 button (Power, Scan, Duplex, Shortcut Select, Cancel) OR Similar</p>	<p>Revised clause:</p> <p>Scanner Buttons (EZ Buttons) - Min 4 buttons (PDF, AUTOSCAN, COPY, SEND) OR Min 4 push buttons (PDF, Send, Copy, Start) OR Similar Features</p>

S.No	Page No	Section of the RFP	Point of Clarification required as per RFP / Corrigendum	Clarification / Revised Clause may be read as
20		Item No. 1 - AIO	<p>As per Corrigendum: Point 110: Revised Specification: Ports 2x USB A 2.0, 2x USB 3.2 Gen 2 HDMI port OR 3x USB 3.2 Gen I Type A 1x USB 3.2 Gen 2 Type-A 1x USB 3.2 Gen1 Type C 1x USB 3.2 Gen 2 Type-C 1 x HDMI, 2 x DP</p> <p>Point 174: Revised Specifications: Ports- 2x USB A 2.0, 2x USB 3.2 Gen 2 OR USB ports to 2x USB 3.2 Gen1, 3x USB 3.2 Gen2 OR Similar</p>	<p>Revised clause:</p> <p>Minimum 2 × USB 3.2 Gen 1 ports, 2 × USB 2.0 ports, and 1 HDMI Port/DP Port (Bidder to ensure the functionality of HDMI is there).</p>
21		KVA/KW ONLY 6 KVA, 10 KVA & 20 KVA ARE MENTIONED AS KVA =KW WHILE 1,2 3 KVA POWER FACTOR ASKED FOR 0.8	<p>As per Corrigendum: Point 5: Revised Specification: (for all UPS) Power Factor: 1.0 (unity)</p>	<p>Revised clause:</p> <p>0.9 PF for 1/2/3kva UPS and Unity PF for 6kva & onwards</p>
22		Item - 10 KVA UPS Input Power Factor : >0.99 (Full load)	<p>As per Corrigendum: Point 43: Revised Specification: (for all UPS) Power Factor: 1.0 (unity)</p>	<p>Revised clause:</p> <p>0.9 PF for 1/2/3kva UPS and Unity PF for 6kva & onwards</p>
23		Item - 10 KVA UPS Battery bank voltage: 192-264VDC	<p>As per Corrigendum: Point 51: Revised Specification: Battery bank voltage: 360-600VDC</p>	<p>Revised clause:</p> <p>192-264 VDC for single phase ups</p>

S.No	Page No	Section of the RFP	Point of Clarification required as per RFP / Corrigendum	Clarification / Revised Clause may be read as
24		Item - 10 KVA UPS Battery bank voltage: 192-264VDC	As per Corrigendum: Point 154: As per RFP	Revised clause: 192-264 VDC for single phase ups
25		Item - 2 KVA UPS 47~53 or 57~63 Hz	As per Corrigendum: Point 74: Revised Specification: Input Frequency Range: 20-70 Hz	Revised clause: Input Frequency Range: 40-70 Hz
26		Item - 3 KVA UPS 47~53 or 57~63 Hz	As per Corrigendum: Point 77: Revised Specification: Input Frequency Range: 20-70 Hz	Revised clause: Input Frequency Range: 40-70 Hz
27		Item - 2 KVA UPS Input Frequency Range - 47~53 or 57~63 Hz	As per Corrigendum: Point 164: As per RFP	Revised clause: Input Frequency Range: 40-70 Hz
28		Item - 20 KVA UPS Battery bank voltage: 380-528V	As per Corrigendum: Point 66: Revised Specification: Battery Bank Voltage: 360 -600 VDC	As per corrigendum
29		No. of UPS to be supplied- 1000 Nos.3000 Nos. UPS supplied in HIMACHAL PRADESH	As per Corrigendum: Point 10: Revised Clause: Bidder/OEM should have executed minimum single order of 1000nos of Online ups system or Total minimum 3000nos Online ups systems or had supplied 5000kva Online ups capacity in the last 2 years in India.	Revised clause: Bidder/OEM should have supplied in India in last two years: Minimum single order of 1000nos of Online UPS OR Total minimum 3000nos Online UPS

S.No	Page No	Section of the RFP	Point of Clarification required as per RFP / Corrigendum	Clarification / Revised Clause may be read as
30		Item No. 1 - AIO	Wi-Fi	As per RFP
31		Item No. 1 - AIO	Hard Disk Drive - 512GB PCIe NVMe SSD OR SATA SSD	Revised clause: Hard Disk Drive - 512GB PCIe NVMe SSD or higher
32		Item No. 2 - Multi-Function Printer	RAM >= 512 MB	Revised clause: Minimum RAM: >= 64 MB
33		Item No. 2 - Multi-Function Printer	Toner Technology	As per RFP
34		Item No. 2 - Multi-Function Printer	Toner to be supplied with Machine	Clarification: The bidder needs to ensure that instead of demo tonner, the printer needs to be supplied with full tonner.